



SHINANO

QUALITY JAPANESE AIR TOOLS

JULY - DECEMBER 2017

Prices include GST.

LIMITED EDITION 1/2" Impact Wrench

- Rear mounted Forward/Reverse selector with Separate 4 position speed selector
- Responsive 8 vane motor
- Feather Touch Trigger.

Max Torque: 627 Ft/lbs
Bolt Cap: 20 MM
Weight: 1.9 Kg
Length: 175 MM

3 Piece Thin Wall Socket Set

- Chrome Molybdenum
 - Teflon sleeved
- Sizes: 17, 19 & 21 MM

PG: SI1490BLE
\$349



LIMITED EDITION
Blue Housing with
FREE Thin-Wall
Impact Socket Set



1/2" Drive

1/2" Impact Wrench
Includes Case and Sockets
Max Torque: 627 Ft/lbs
Weight: 1.9 Kg
Length: 175 MM



Deep Impact Sockets

- Made from Chrome Molybdenum Steel.
- Meet or exceed DIN & ANSI standards

PG: SI1490KM

1/2" Impact Wrench (SI1490B)

C/W 1/2" 13 Piece Metric Socket Set
Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 and 30 MM



\$459 EA

3/4" Drive

3/4" Impact Wrench
Includes Case and Sockets
Max Torque: 1,217 Ft/lbs
Weight: 3.25 Kg
Length: 218 MM



Deep Impact Sockets

- Made from Chrome Molybdenum Steel.
- Meet or exceed DIN & ANSI standards

PG: SI1550KM

3/4" Impact Wrench (SI1550)

C/W 3/4" 8 Piece Metric Socket Set
Sizes: 26, 27, 29, 30, 32, 35, 36 and 38 MM

PG: SI1550KI

3/4" Impact Wrench (SI1550)

C/W 3/4" 8 Piece Imperial Socket Set
Sizes: 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 and 1-1/2"



\$899 EA

DIE GRINDERS

1/4" Small Die Grinder

Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

PG: SI2002EX
\$199

1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

PG: SI2012EX
\$210



1/4" Extended Die Grinder

Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg

PG: SI2022S
\$379



1/4" Angle Head Die Grinder

Free Speed: 20,000 RPM
Length: 157 MM
Weight: 0.49 Kg

PG: SI2006S
\$289

ROTARY SANDERS & POLISHER

4" High Speed Disc Sander

Length: 167 MM
Free Speed: 19,000 RPM
Weight: 0.99 Kg

PG: SI2210
\$179



5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg

PG: SI2026S
\$419



7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

PG: SI2351
\$422

7" Heavy Duty Angle Polisher

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 2,300 RPM
Weight: 2.13 Kg

PG: SI2451
\$422



Variable Speed & Water Flow Controls

PG: SI2322WRLE
\$695

5" Wet Sander
Spindle Size: M14 x 2
Length: 230 MM
Free Speed: 5,500 RPM
Weight: 1.32 Kg
7.5 m Water Hose
1.5 m Air Hose

- Wet sander designed for stone sanding and polishing with water
- Waterproofed mechanism ensures a long working life

DRILLS

3/8" Heavy Duty Drill

- Non-reversible

Chuck Size: 10 MM
Length: 133 MM
Free Speed: 2,000 RPM
Weight: 0.91 Kg

PG: SI5300A
\$279



3/8" Straight Drill

Chuck Size: 10 MM
Length: 231 MM
Free Speed: 6,000 RPM
Weight: 1.06 Kg

PG: SI2015AD
\$319

10 mm Reversible Angle Head Drill

- 58 mm drill head is ideal for accessing tight spaces
- Reverse button with twist-lock
- Includes chuck key



PG: SI5365
\$399

3/8" Compact Drill

- Non-reversible

Chuck Size: 10 MM
Length: 130 MM
Free Speed: 2,600 RPM
Weight: 0.79 Kg

PG: SI5500
\$199

3/8" Super Light Reversible Drill

Chuck Size: 10 MM
Length: 115 MM
Free Speed: 1,700 RPM
Weight: 0.60 Kg

PG: SI5506
\$259



1/2 Capacity Reversible Keyed Drill

Chuck Size: 13 MM
Length: 155 MM
Free Speed: 800 RPM
Weight: 1.45 Kg

PG: SI5305-8A
\$429



12 MONTH FACTORY WARRANTY

IMPACT WRENCHES

3/8" Impact Wrench

Max Torque: 258 Ft/lbs
Bolt Cap: 16 mm
Weight: 1.03 Kg
Length: 148 mm

PG: SI1605
\$315

1/2" Impact Wrench

Max Torque: 332 Ft/lbs
Bolt Cap: 18 mm
Weight: 1.04 Kg
Length: 148 mm

PG: SI1610
\$315



3/8" Butterfly Wrench

Max Torque: 66 Ft/lbs
Bolt Cap: 10 mm
Weight: 0.94 Kg
Length: 158 mm

PG: SI1305
\$255



1" H-Duty Impact Wrench

Max Torque: 1,840 Ft/lbs
Bolt Cap: 41 mm
Weight: 10.9 Kg
Length: 285 mm

3 Handle Positions



PG: SI1860
\$1,265

Also available with
6" anvil (SI1860) or
8" anvil (SI1880).
Call for pricing.

3/4" Impact Wrench

Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 mm
Weight: 3.25 Kg
Length: 218 mm

Also available with
6" anvil (SI1556).
Call for pricing.

PG: SI1550
\$799



SI1550 Housing Protector

New housing protector is manufactured from soft, hard wearing rubber to inhibit the development of scratches, gashes and cracks to the motor housing of your impact wrench.



SI1550 impact wrench not included.

NEW!
PG: 967-23
\$45

1" H-Duty In-line Grip Impact Wrench

Max Torque: 1,770 Ft/lbs
Bolt Cap: 41 mm
Weight: 10.6 Kg
Length: 350 mm

Also available with
6" anvil (SI1876) or
8" anvil (SI1878).
Call for pricing.

PG: SI1870
\$1,265



1" H-Duty Inline Grip Impact Wrench HP

Max Torque: 2,430 Ft/lbs
Bolt Cap: 38 mm
Weight: 15.4 Kg
Length: 420 mm

PG: SI1880
\$1,635

2,430 Ft/lbs



1-1/2" H-Duty In-line Grip Impact Wrench

Max Torque: 4,060 Ft/lbs
Bolt Cap: 55 mm
Weight: 18 kg
Length: 510 mm

PG: SI1900
\$2,395

4,060 Ft/lbs



RATCHET WRENCHES



SI1207

1/4" Mini Ratchet Wrench

Length: 170 mm
Max Torque: 28 Ft/lbs
Weight: 0.54 Kg

PG: SI1207
\$229



3/8" Ratchet Wrench

Length: 265 mm
Max Torque: 59 Ft/lbs
Weight: 1.16 Kg

PG: SI1320A
\$185

3/8" Mini Ratchet Wrench

Length: 263 mm
Max Torque: 30 Ft/lbs
Weight: 0.54 Kg

PG: SI1208EX
\$229

1/2" Ratchet Wrench

Length: 265 mm
Max Torque: 66 Ft/lbs
Weight: 1.17 Kg

PG: SI1325A
\$185

1/2" Ratchet Wrench

Length: 263 mm
Max Torque: 85 Ft/lbs
Weight: 1.15 Kg



PG: SI1345BEX
\$245

1/2" Heavy Duty Ratchet

Length: 368 mm
Max Torque: 118 Ft/lbs
Weight: 1.95 Kg



PG: SI1435
\$430

HAMMERING TOOLS

10.2mm Pistol Grip Air Hammer

Length: 208 mm
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

PG: SI4120A
\$219



Spring Retainer

Suits most hammers.

PG: GPA70
\$6



Shinano Paint Scraper Chisel

Shank Dia.: 10 mm / 0.401"
60 mm blade.

PG: SI823
\$55

Shinano 20 mm Flat Chisel

Shank Dia.: 10 mm / 0.401"

PG: SI810
\$29



NEEDLE SCALERS

Straight Grip Needle Scaler

Length: 333 mm
Stroke: 4.5 mm
Impact Rate: 3,500 BPM
Weight: 2.06 Kg

PG: SI4150EX
\$499



Pistol Grip Needle Scaler

Length: 355 mm
Stroke: 4.5 mm
Impact Rate: 3,300 BPM
Weight: 2.19 Kg

PG: SI4160
\$525



SHINANO AIR TOOL OIL



- Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals

Shinano 250 ml Air Tool Oil

PG: SI250
\$9.50

Shinano 1 Litre Air Tool Oil

PG: SI1000
\$17

Shinano 5 Litre Air Tool Oil

PG: SI5000
\$69

BELT SANDERS

10 MM Belt Sander

- 160° adjustable sanding arm
 - Includes 6, 10 mm sanding belts
 - Includes in-line air regulator for quick speed adjustments
- Belt Size: 330 x 10 or 12 mm
Free Speed: 15,000 RPM
Weight: 0.73 kg

PC: SI2740

\$369



**SWIVEL INLET
WITH AIR
REGULATOR**

**LIGHT WEIGHT
COMPOSITE
CONSTRUCTION**

PC: SI2800

\$499



20 MM Belt Sander
Belt Size: 520 x 20 mm
Free Speed: 15,000 RPM
Weight: 1.43 kg

PC: SI2830

\$699



30 MM Belt Sander
Belt Size: 540 x 30 mm
Free Speed: 10,000 RPM
Weight: 2.02 kg

10 MM Sanding Belts

40 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP40

60 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP60

80 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP80

100 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP100

120 Grit 10 mm x 330 mm Pkt 10

PC: SIP10MMXP120

20 MM Sanding Belts

40 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP40

60 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP60

80 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP80

100 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP100

120 Grit 20 mm x 520 mm Pkt 10

PC: SIP20MMXP120

30 MM sanding belts also available.

\$25 EA

\$38 EA

CUTTING TOOLS

Multifunction Mini Air Saw

- Includes in-line air regulator for quick speed adjustments
- Stroke Length: 10 mm
Free Speed: 10,500 RPM
Length: 148 mm
Weight: 0.52 kg

**10 mm
Stroke**



PC: SI4740

\$359

Quality Bi-metal Metal Blades

18 TPI of 5 Pack

PC: PT301A18

24 TPI of 5 Pack

PC: PT301A24

32 TPI of 5 Pack

PC: PT301A32

\$18 EA

Air Nibbler

Length: 175 mm
Free Speed: 2,600 SPM
Weight: 1.00 kg



PC: SI4600

\$365

Laminate Trimmer

1/4" collet size
Length: 177 mm
Free Speed: 22,000 RPM
Weight: 0.91 kg



PC: SI2018A

\$319

Body Saw

Stroke Length: 5 mm
Free Speed: 10,000 RPM
Length: 259 mm
Weight: 0.58 kg



PC: SI4700B

\$319



PC: SI2033

\$196

3" Cut Off Grinder

Length: 196 mm
Free Speed: 20,000 RPM
Weight: 1.00 kg

3" Cut Off Discs Pack of 5

New discs only 0.8 mm thick.
Cuts quicker and cleaner saving you time and money.
Speed rated to 25,000 RPM
Ø75 x 0.8 x Ø9.53 mm

PC: C0007K

\$18

Oscillation Sealant Cutter & Sander

- Includes 75 mm triangular pad & standard 90 mm sealant blade.

Free Speed: 21,000 OPM

Length: 182 mm

Weight: 0.65 kg



PC: SI3200A

\$355

**Ideal for windscreen removal,
sawing or sanding tight corners.**

PREP TOOLS

50 MM MICRO DISC SANDER

C/W backing pad and abrasives
Free Speed: 17,000 RPM
Length: 144 mm
Weight: 0.49 kg

PC: SI2201

\$198



100 MM DISC SANDER

Includes 75 mm Fine & Coarse abrasive pads,
75 mm & 100 mm backing pads and adapter
Free Speed: 18,000 RPM
Length: 167 mm
Weight: 0.984 kg

PC: SI2210R

\$214



**Abrasive Pads to suit SI2201,
SI2202 & SI2210R Prep Tools.**

Ideal for removing gaskets without damaging
metal surfaces.

Brown Coarse

50 MM Abrasive Pad

PC: GPA1526X10

Packet of 10

Maroon Medium

50 MM Abrasive Pad

PC: GPA1528X10

Packet of 10

Blue Fine 50 MM

Abrasive Pad

PC: GPA1527X10

Packet of 10

Brown Coarse

75 MM Pad

PC: GPA1529X10

Packet of 10

Maroon Medium

75 MM Pad

PC: GPA1531X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

Blue Fine Abrasive

75 MM Pad

PC: GPA1530X10

Packet of 10

SANDERS & POLISHER

Mini Pistol Grip Dual Action Sander

- Velcro Pad
- 2 Speed



Free Speed: 15,000 RPM

Pad Size: 75 mm

Orbit Dia.: 3 mm

Weight: 0.52 kg

PC: SI2110

\$229

3" Mini Orbital

Sander

Free Speed: 12,000 RPM

Orbit Dia.: 3 mm

Weight: 0.54 kg

PC: SI3102M

\$359

6" Dual Action Sander

- Velcro Pad

Free Speed: 10,000 RPM

Orbit Dia.: 5 mm

Weight: 0.94 kg

PC: SI3101-6

\$445

70 MM Pistol Grip Polisher

Kit includes:

Wool Buff, Sponge Buff, Velcro

Pad and 3 Sanding Pads

Pad Size: 75 mm

Free Speed: 4,500 RPM

Length: 147 mm

Weight: 0.64 kg

PC: SI2221

\$335

6" Dual Action Sander

- Velcro Pad

Free Speed: 10,000 RPM

Orbit Dia.: 7 mm

Weight: 1.82 kg

PC: SI3100

\$248

3" Mini Orbital

Sander

Free Speed: 12,000 RPM

Orbit Dia.: 3 mm

Weight: 0.54 kg

PC: SI3102M

\$359

6" Dual Action Sander

- Velcro Pad

Free Speed: 10,000 RPM

Orbit Dia.: 5 mm

Weight: 0.94 kg

PC: SI3101-6

\$445

SCREWDRIVERS

*All screwdrivers feature
forward & reverse.*

1/4" Screwdriver

- Torque adjustment ring
- Magnetic screw bit holder



Length: 176 mm

Bolt Cap: 5/16"

Max Torque: 14.80 Ft/lbs

Free Speed: 700 RPM

Weight: 0.85 kg

PC: SI1170

\$369

1/4" Screwdriver

- Adjustable clutch



Length: 207 mm

Bolt Cap: 1/4"

Max Torque: 3.70 Ft/lbs

Free Speed: 2,000 RPM

Weight: 1.18 kg

PC: SI1166A

\$429

1/4" Straight Screwdriver

Distributed by:

SHINANO[®] INDUSTRIAL TOOLS

Shinano Industrial Tools are specifically designed for reliable operation and long service life in the harshest working environments. Each tool is constructed with the following high-spec components.

- High tolerance bearings used throughout the range offer low noise and vibration levels and superior performance at high speeds.
- Precisely ground high tolerance transmission components made from high grade nickel-chromium molybdenum steel and treated with specialised hardening process.
- Each Shinano Industrial Tool is assembled with a range of high performance lubricants including, molly-grease which provides excellent thermal stability and wear protection when subjected to constant high loads.



Industrial Edge Profiler



- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.

Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

Handle length: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts

PC: SI-4010L
\$1255

High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces "run-out", which improves cutting efficiency and extends the service life of the burr. (NOT included with SI-SG3-CL)



Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.



Mini Industrial Angle Die Grinder

PC: SI-AG20E-6L

Free Speed: 20,000 RPM
Output: 200 Watts
Length: 166 MM
Collet Size: 1/4"
Weight: 0.57 Kg



PC: SI-AG20E-6L
\$399

Straight Industrial Die Grinder

- High powered tool for confined work areas

Free Speed: 14,000 RPM
Output: 520 Watts
Length: 346 MM
Collet Size: 1/4"
Weight: 1.53 Kg



High Spec Collet NOT included.

PC: SI-SG3-CL
\$599

Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Length: 150 MM
Collet Size: 1/4"
Weight: 0.38 Kg

PC: SI-SG20E-6L
\$298

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Length: 187 MM
Collet Size: 1/4"
Weight: 0.71 Kg

PC: SI-SG60E-6L
\$329

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Length: 284 MM
Collet Size: 1/4"
Weight: 0.68 Kg

PC: SI-SG20E-6LL
\$389

Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Length: 322 MM
Collet Size: 1/4"
Weight: 1.19 Kg

PC: SI-SG60E-6LL
\$469

2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle Size: 1/4"-28 UNF
Length: 170 MM
Weight: 0.64 Kg

PC: SI-AG2-U2P
\$429

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle Size: M8-1.25 MM
Length: 276 MM
Weight: 1.89 Kg

PC: SI-AG4-A2L
\$549

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle Size: M14-2.0 MM
Length: 285 MM
Weight: 2.08 Kg

PC: SI-AG5-E3L
\$699

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle Size: 5/8"-11 UNC
Length: 312 MM
Weight: 3.3 Kg

PC: SI-AG7-E5L
\$799

Governed Motor

Speed governed motor delivers both higher torque levels and optimal disc RPM for optimum grinding performance.



Low Profile Gearbox

Low Profile gearbox greatly increases the operators view of the work area.