# WORKSHOP EQUIPMENT





NEW

PRODUCT

NEW PRODUCT

RELEASE

0

FEATURES:
4 blue bins and 12 red bins for easy identification.
Sturdy three-tier steel rack with magnetic tool storage rail.
Stackable bins made of moulded polypropylene.
Unique design provides plenty of storage below bins.
Ideal for garage, workshop, office, shed.
Easy to assemble, compact design fits anywhere.
Powder coat frame resists corrosion.
Convenient access to removable bins.

\$69

# 74 BIN PARTS STORAGE BIN RACK • Working load capacity: 160kg • 64 parts bins 140x85x72mm (2kg load capacity) • 10 parts bins 210x125x123mm (3.5kg load capacity)

- Swivel castor diameter: 100mm 980(L) x 535(W) x 1165(H) mm

# RL74BR

FEATURES: 32 red bins, 32 blue bins and 10 yellow bins for easy identification. Sturdy five-tier steel rack. Quality swivel castors.

duality swivel exacts:
Stackable bins made of moulded
polypropylene.
Unique design provides plenty of
storage below bins.
Ideal for garage, workshop, office, shed.

Easy to assemble, portable design fits

Powder coat frame resists corrosion

#### **30 BIN PARTS STORAGE BIN RACK**

- Working load capacity: 160kg
  18 parts bins: 88x96x50mm (1kg load capacity)
  12 parts bins: 158x105x75mm (2kg load capacity)
  Polypropylene wall rack: 643(L) x 380(H) x 20(D)mm

#### RED LABEL RL30BR

#### FEATURES:

FEATURES: 9 red bins, 9 yellow bins and 12 blue bins for easy identification. Stackable bins made of moulded polypropylene. Ideal for garages and workshops.

Easy to assemble.
Convenient access to removable bins.

#### 44 PCE PARTS STORAGE BIN & TOOL RACK

- 16 parts bins 100 x 90 x 50mm (1kg load capacity)
  8 parts bins 100 x 160 x 70mm (2kg load capacity)
  4 parts bins 100 x 210 x 70mm (2.5kg load capacity)

- Wallboard: 380(W) x 640(H)
   640(H) x 380(W) x 270(D)mm

FEATURES: 44 Pieces: 28 Bins, 12 Tool Holders, 2 x Wall Boards. Grey and blue bins for easy identification.
Stackable bins made of moulded polypropylene.
Ideal for garages and workshops. Easy to assembl
Convenient access to removable bins

NEW PRODUCT

RELEASE

0

NEW PRODUCT

RELEASE

6



#### **10 BIN PARTS STORAGE BIN RACK**

- Working load capacity: 26kg
  6 parts bins 140x85x70mm (2kg Load Capacity)
  4 parts bins 210x125x123mm (3.5kg Load Capacity)
- 620(L) x 235(W) x 245(H)mm

RLS10BR



Stackable bins made of moulded

0



NEW

PRODUCT

RELEASE



0

# 0



TRADE

#### **MOBILE WORKSHOP TABLE**

- Working load limit: 100kg Working height: 840-1210mm

- Main post diameter: 50mm Castor wheel diameter: 50mm
- Table top dimensions: 750x480x25mm
- 845(L) x 410(W) x 780(H)mm MADE FOR THE

# TRADEQUIP

FEATURES: Strong tubular steel construction. Handy tool storage holders. Industrial high gloss enamel finish Smooth rolling composite rubber castors Height adjustable to most vehicles.

Sturdy main support post.

Table top swivels 360° for easy access.

#### MOBILE **WORKSHOP TABLE**

- Working load limit: 100kgWorking height: 840-1210mm
- Main post diameter: 50mm
- Castor wheel diameter: 50mm Table top dimensions: 750x480x25mm 845(L) x 410(W) x 780(H)mm

#### TRADEQUIP the trusted brand in equipment

#### 6049

#### FEATURES:

Strong tubular steel construction. Handy tool storage holders. Lockable cabinet.

Industrial high gloss enamel finish. Smooth rolling composite rubber castors Height adjustable to most vehicles.

Sturdy main support post. Table top swivels 60° for easy access



0

\$149

#### **WORK BENCH LIGHT DUTY 2 DRAWER**

NEW

PRODUCT

RELEASE

Working load limit: 233kg
 1560(H) x 600(D) x 1200(W) mm

#### RED LABEL RLLDWE



\$199

#### FEATURES:

Steel construction with durable enamel finish. Full width neg board for organised tool storage Upper and lower storage shelves.

#### **MOBILE WORK BENCH**

- Working load limit: 250kg

- Shelf capacity: 100kg Shelf: 1110(L) x 460(W)mm

TRADEQUIP

MADE FOR THE TRADE

NEW

PRODUCT

RELEASE

۹

FEATURES: Ideal for engine and transmission rebuilds Heavy duty rolled edge steel construction Convenient removable drain bowl. 13mm benchtop rim to contain leaking fluids when working on engines and transmissions.

Quality castors (2 swivel with brake). Key lockable steel drawer with ball bearing slides.

High gloss enamel paint finish.

# NEW Bench top capacity: 150kg Bench top: 1200(L) x 700(W)mm (with 13mm rim) PRODUCT RELEASE 1200mm

\$539

FOR ENGINE AND

0

#### **WORK TROLLEY 2 TIER**

- · Working load limit: 200kg

- Shelf depth: 30mm
  Castor wheel diameter: 125mm
  980(L) x 500(W) x 870(H)mm

## 77 TRADEQUIP the trusted brand in equipment



#### FEATURES:

Durable cold-rolled steel construction.

Rugged, roomy steel trays.

•

Industrial high gloss enamel finish. Two deep shelves for plenty of

storage.

Non slip rubber tool tray liners Two swivel and two fixed smooth rolling composite rubber castors.

Tubular steel side handle.

0



•



- 240V high volume pump (3.15 l/min)
   400L x 200W x 200H mm

- Benchtop model Suitable for smaller parts

79 TRADEQUIP

1050





PROMO DEAL

ROTO TRANSPORTED A VALUE OF TRANSPORTED A VALUE OF TRANSPORTED A VALUE OF TRANSPORTED A VALUE OF TRANSPORTED A

INCLUDES PARTS WASHER, BRUSH & HOSE + CONCENTRATE 20 Ltr

1050KIT

Code 1050, 5082 & 1806

*SPECIAL \$179* 

Уо реуг • ьвомо реуг • ьвомо реуг • ьвомо реу

**JET BLAST PARTS WASHER** (WITH HEATER)

- Washing pressure: 70-120psi
- Cleaning fluid capacity: 4-9 Litres
- Heats parts cleaning fluid to: 60°C Max.
- Air requirement: 70-120psi@5CFM
- 791W x 625D x 1715Hmm

TRADEQUIP

MADE FOR THE

Ideal for cleaning small parts.

FEATURES:

1805

SUITABLE FOR WATER BASED CLEANING SOLUTIONS ONLY

N. PROMO DIALLO PROMO DIALLO PROMO DIALLO PROMO DEAL

INCLUDES PARTS WASHER, & CONCENTRATE 20 Ltr

1805KIT

Code 1805 & 5082

*SPECIAL \$719* 

 $^{2}$ MO DEVT  $\cdot$  BRONO DEVT  $\cdot$  BRONO DEVT  $\cdot$  BRONO DEV $^{7}$ 

Bench mounting system.
Large enclosed cabinet for solvent splash and fume

Air on/off cleaning gun for rapid cleaning.
Digital temperature control solvent heater.
Fluorescent lighting system ensures excellent illumination

External fume extraction fan.
Powder coated protective finish.



DEAL · PROMO DE

# **CONCENTRATE 20 LITRE**

- Makes up 100 litres of parts washer solution Environmently friendly Non-flammable, Bio-degradable MADE FOR THE

- Non-toxic, non-caustic
- Non-hazardous

MAKES

#### **PARTS WASHER BRUSH AND HOSE**

- Long life 70mm synthetic bristles allows solvent fluid to flow while cleaning.
- Polypropylene handle Stepped hose fitting suitable for connecting to 13mm and 16mm spouts
- Suits Tradequip parts washers 1003, 1004 & 1050

TRADEQUIP

MADE FOR THE

TOO LITRES 100 LITRES

#### **PARTS WASHER 90 LITRE**

- 240V high volume pump (3.15 l/min)
   Tank: 760L x 530W x 260H mm
- Overall size: 780L x 540W x 900H mm
- Removable work shelf
- Parts basket for soaking small parts
- Safety drop down lid

TRADEQUIP

1003

PROMO DEAL · PROMO DEAL · PROMO DEAL · P PROMO DEAL

INCLUDES PARTS WASHER, BRUSH & HOSE + CONCENTRATE 20 Ltr

1003KIT

Code 1003, 5082 & 1806

*SPECIAL \$329* 



12-240V

inverters





#### **PARTS WASHER 180 LITRE**

- 240V high volume pump (3.15 l/min)
   Tank: 1135L x 545W x 320H mm
   Overall size: 1150L x 560W x 1430H mm

- Removable work shelf
- Parts basket for soaking small parts
- · Safety drop down lid

TRADEQUIP
the trusted brand in equipment

1004

WITH HIGH

ROMO DEAL INCLUDES PARTS WASHER, BRUSH & HOSE + CONCENTRATE 20 Ltr

1004KIT

Code 1004, 5082 & 1806

\$379

NOTE: ONLY AQUEOUS BASED SOLVENTS TO BE USED IN PARTS WASHERS

0







cleaning

# 0



### **ENGINE STAND 680KG**

- Working load limit: 680kg
- 360° rotating head
- Centre height: 895mm
  870(L) x 800(W) x 900(H) mm

7@ TRADEQUIP

1891T



NEW

\$199

#### FEATURES:

PEAL UKES:
Paint is oil, grease and dirt-resistant for easy cleanup.
360° swiveling and locking head allows easy rotation for obtaining the perfect angle position.
Long handle with rubber grips allows easy angline rotation

Long nandle with rubber grips allows easy engine rotation.

Heavy-gauge tubular construction with industrial-grade steel bearing castors for easy maneuverability.

Mounting head has four adjustable arms

with bolt holes to accommodate various

Removable legs for convenient storage

#### **ENGINE SUPPORT BAR 500KG (DUAL HOOK)**

- Working load limit: 500kg
- Fits across bonnet Rubber support legs protect paint Extension: 1020-1630mm

DJUSTABL

TRADEQUIP

10211

Adjustment screw for load leveling.

Cross bar feature for improved stability and more flexibility. Dual hook assemblies for balanced support.

Adjustable to fit across most car bonnets.
Supports engine or transmission during repairs.

Rubber cushioned support legs prevent damage.

0

1020-1630mm

FEATURES:

High gloss enamel finish

\$219

\$165

1020-1430mm

### **ENGINE SUPPORT BAR 500KG (DUAL HOOK)**

- · Working load limit: 500kg
- Fits across bonnet Rubber support legs protect paint Extension: 1020-1430mm

TRADEQUIP

#### FEATURES:

Dual hook assemblies for balanced support. Adjustable to fit across most car bonnets.
Supports engine or transmission during repairs. Supports engine of dainingstation in repairs Rubber cushioned support legs prevent damage. High gloss enamel finish. Adjustment screw for load leveling.

Supplied with a short length of chain

Working load limit: 500kg Fits across bonnet Rubber feet to protect paint Extension: 1020-1600mm ADJUSTABLI Extension ARMS

MADE FOR THE

## **ENGINE STAND 900KG**

SUITABLE

\$219

#### TRADEQUIP

0

1020-1600mm

ENGINE SUPPORT BAR 500KG



•



•


Adjustable to fit across most car bonnets. Supports engine or transmission during repairs. Rubber cushioned support legs prevent damage. Powder coat finish.



360° rotating









#### AIR HOSE REEL 3/8" X 25 METRE

- Hose I.D.: 10mm (3/8")Hose length: 25m
- Max. air pressure: 580PSI Air inlet: 3/8"-BSPT Hose colour: Black

- Reel colour: Black

TRADEQUIP

1991T



#### FEATURES:

Includes rubber air hose with machined brass fittings.

Air hose manufactured in Germany. Mounts to floor or wall.

Manual-rewind feature quickly retracts the hose.

Eliminates storage and handling problems.

Beveled flanges make it easy to roll hose without kinking.

Hand brake prevents the reel from releasing more hose than you need

# AIR HOSE REEL 5/16" X 30 METRE

- Hose I.D.: 8mm (5/16")
- Hose length: 30m
- Max. air pressure: 300PSI Air inlet: 1/4"-18NPT
- Hose colour: Black

Reel colour: Black

7 TRADEQUIP



#### FEATURES:

Includes rubber air hose with machined brass fittings.

Mounts to floor or wall.

Manual-rewind feature quickly retracts the hose. Eliminates storage and handling problems.

Beveled flanges make it easy to roll hose without kinking Hand brake prevents the reel from releasing more hose

Friction stop.



#### AIR HOSE REEL 3/8" X 10 METRE

- Hose I.D.: 10mm (3/8")
- Hose length: 10m
- Max. air pressure: 580PSI
   Air inlet: 3/8"-BSPT
- Hose colour: Black · Reel colour: Blue

TRADEQUIP

#### FEATURES:

*\$239* 

Includes polymer air hose with machined brass fittings.

#### Air hose manufactured in Germany. Mounts to floor or wall. Auto-rewind feature quickly retracts the hose. Eliminates storage and handling problems. Hose has superior bend radius to help prevent kinks. Ratcheting action locks hose at desired length. Sealed connection points at swivel and hose inlet prevent leaks MARE FOR Enclosed drive spring for protection against weather. Wall and ceiling mountable with 180° swivel.

### AIR HOSE REEL 3/8" X 55 METRE

- Hose I.D.: 10mm (3/8")
- Hose length: 55m
- Max. air pressure: 300PSI
  Air inlet: 3/8"-BSP
  Hose colour: Black

- Reel colour: Black

MADE FOR THE

Includes rubber air hose with machined brass fittings

Air hose manufactured in Germany. Mounts to floor or wall.

Manual-rewind feature quickly retracts the hose Eliminates storage and handling problems.

0

Beveled flanges make it easy to roll hose without kinking. Hand brake prevents the reel from releasing more hose than you need.

NEW

PRODUC



# 0 $\odot$

#### AIR HOSE REEL 3/8" X 15 METRE

- Hose I.D.: 10mm (3/8")
  Hose length: 15m
  Max. air pressure: 580PSI
  Air inlet: 1/4"-18NPT
  Hose colour: Black

- Reel colour: Grey

BORUM

**BHR1995** 

#### FEATURES:

Air hose manufactured in Germany

Machined brass fittings. Mounts to floor, wall or ceiling.

Auto-rewind feature quickly retracts the hose. Ratchet mechanism locks hose at desired length. Reinforced guide arm provides support and stability.

Heavy-duty steel construction with powder-coat finish protects against corrosion Ball bearing swivel joint reduces friction.

Four directional rollers reduce abrasion to the rubber hose

## AIR HOSE REEL 3/8" X 15 METRE

- Hose I.D.: 10mm (3/8")
  Hose length: 15m
  Max. air pressure: 580PSI
  Air inlet: 1/4"-18NPT
  Hose colour: Black
  Reel colour: Grey

BORUM

**BHR1996** 

#### FEATURES:

Includes rubber air hose with neoprene shell.

Air hose manufactured in Germany

Machined brass fittings. Mounts to floor, wall or ceiling.

Auto-rewind feature quickly retracts the hose. Ratchet mechanism locks hose at desired length. Reinforced guide arm provides support and stability.

Heavy-duty steel construction with powder-coat finish protects against corrosion Ball bearing swivel joint reduces friction.

Four directional rollers reduce abrasion to the rubber hose





#### OIL HOSE REEL 1/2" X 10 METRE

- Hose I.D.: 13mm (1/2") Hose length: 10m Max. oil pressure: 2,000PSI Air inlet: 1/2"-18NPT

- Hose colour: Black Reel colour: Grey







for full product specifications

Four directional rollers reduce abrasion to the rubber hose

WHILST STOCKS LAST

## AIR HOSE REEL 3/8" X 10 METRE

- Hose I.D.: 10mm (3/8")
- Hose length: 10m
- Max. air pressure: 580PSI
  Air inlet: 1/4"-18NPT
  Hose colour: Black
- Reel colour: Grey





#### FEATURES:

Includes rubber air hose with neoprene shell.

Air hose manufactured in Germany.

•

Machined brass fittings. Mounts to floor, wall or ceiling Auto-rewind feature quickly retracts the hose.

Ratchet mechanism locks hose at desired length. Reinforced guide arm provides support and stability. Heavy-duty steel construction with powder-coat finish protects against corrosion. Ball bearing swivel joint reduces friction. Four directional rollers reduce abrasion to the rubber hose.

•

