

FEBRUARY-MAY 2017

Quality Japanese Air Tools **HEAVYDUTY IMPACT WRENCH**

STOCKS LAST!

NEW!

DIE GRINDERS



1/4" Small Die Grinder

Free Speed: 27,000 RPM 151 MM Weight:



1/4" Medium Die Grinder

Free Speed: 25,000 RPM 170 мм Lenath:

SI2011S \$189.00

\$195.00

HEAVY DUTY



1/4" H-duty Die Grinder

Free Speed: 20,000 RPM Length: 162 MM



1/4" Extended Die Grinder

Free Speed: 24,000 RPM Length: Weight: 1.34 Kg

SI2022S

\$369.00

1/4" Extended Die Grinder

Free Speed: 6,000 RPM 1.70 Kg



1/4" Angle Head Die Grinder

Free Speed: 20,000 RPM 0.49 Ka



1/4" Medium Die Grinder

Free Speed: 25,000 RPM Length: 170 MM $0.60 \, \text{Kg}$



1/4" Medium Die Grinder

Free Speed: 5,500 RPM Length: 217 MM Weight: 0.91 Kg

SI2015A

\$199.00



1.04 Ka

SI2023 \$399.00

ANGLE GRINDERS



4" Angle Grinder

Spindle Size: M10 × 1.5 223 мм Free Speed: 12,700 RPM





5" Angle Grinder

Spindle Size: M14 x 2 Length: 230 мм Free Speed: 12,000 RPM 1.65 Kg







7" Angle Grinder

Weight:

Length: 337 MM Free Speed: 7,500 RPM

S12600L \$645.00

1" H-Duty Inline Grip Impact Wrench HP

Max Torque: 2,430 Ft/lbs Bolt Cap: 38 MM 15.4 Kg 420 MM Lenath:

SI1880 \$1,599.00

2.430 Ft/lbs

LIMITED EDITION

1/2" Impact Wrench • Rear mounted Forward/Reverse selector with Separate 4 position

. Responsive 8 vane motor

 Feather Touch Trigger Max Torque: 627 Ft/lbs

Bolt Cap: 20 мм Weight: 1.9 Kg

SI1490BLE \$349.00



ROTARY SANDERS

4" High Speed Disc Sander

Free Speed: 19 000 RPM Weight: 0.99 Kg

SI2210 \$175.00



5" Angle Head Disc Sander Spindle: 5/8 x 11 und Length: 285 MM

Free Speed: 5,500 RPM Weight: 1.50 kg





7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 unc Length: 358 MM Free Speed: 4,500 RPM 2.13 Kg

SI2351 \$418.00 7" Heavy Duty Angle Polisher Spindle: 5/8 x 11 unc

Lenath: 358 MM Free Speed: 2,300 RPM 2.13 Kg

SI2451



7" Vertical Sander Spindle: 5/8 x 11 unc

Lenath: 187 мм Free Speed: 4,000 RPN Weight: 2.27 Kg

> SI2300 \$425.00

5" Wet Sander

Length: 230 мм Free Speed: 5,500 RPM Weight: 1.32 Kg 7.5 m Water Hose 1.5 m Air Hose

7" Vertical Polisher

Spindle: 5/8 x 11 unc Length: 257 mm Free Speed: 2,000 RPM Weight: 2.24 Kg

SI2400 \$425.00

 Wet sander designed for stone sanding and polishing with water

Waterproofed mechanism ensures a long working life

SI2322WRLE \$695.00





1.06 Kg

SI2015AD \$310.00

3/8" Heavy Duty Drill Chuck Size: 10 mm Length: 133 mm

Free Speed: 2,000 RPM

· Includes chuck key

Chuck capacity: 10 мм

Free Speed: 1,000 RPM

Weight: 1,23 Kg

3/8" H-Duty

Length:

Weight:

Reversible Drill Chuck Size: 10 мм

Free Speed: 2.000 RPM

Head Size: 58L x Ø48 мм

REVERSIBLE

132 мм

1.02 Kg

REVERSIBLE

210 мм

1.08 Kg

REVERSIBLE

Keyed Drill

Length:

Chuck Size: 13 MM Length: 155 MM

Free Speed: 800 RPM

1/2 Capacity Reversible

3/8" Keyless

Length:

Weight:

Reversible Drill

Chuck Size: 10 мм

Free Speed: 1,500 RPM

0.91 Ka

· Reverse button with twist-lock

10 мм Reversible Angle Head Drill

• 58 mm drill head is ideal for accessing tight spaces

Weight:

S15300A

\$275.00

SI5365

SI5305A

\$320.00

SI5405

\$325.00

SI5305-8A

\$425.00

REVERSIBLE

SI5405-6

\$439.00

\$369.00



Reversible

Chuck Size: 10 mm Length: Length: 202 mm Free Speed: 1,200 RPM 0.94 Kg





SI5500 0.79 Kg \$189.00



Reversible Drill

Weight:

Chuck Size: 10 мм 115 мм Length: Free Speed: 1,700 RPM Weight: $0.60 \, \text{Kg}$





Chuck Size: 13 mm Lenath: 189 MM Free Speed: 600 RPM Weight: 1,42 Kg

Drill 1/2 Capacity Keyless Reversible

Chuck Size: 13 мм 235 мм Free Speed: 600 RPM SI5200A \$449.00



Double reduction gear box delivers exceptional power.

All screwdrivers feature forward & reverse.



SCREWDRIVERS

1/4" Screwdriver

176 мм 5/16" Length: Bolt Cap: Max Torque: 14.80 Ft/lbs Free Speed: 700 RPM

Weight: 0.85 Kg

1/4" Straight Screwdrive

247 MM 1/4" Length: Bolt Cap: Max Torque: 3.70 Ft/lbs Free Speed: 1,600 RPM



207 мм

1.18 Kg

1/4"

Max Torque: 3.70 Ft/lbs

Free Speed: 2,000 RPM

Length:

Bolt Cap:

Weight:

1/4" Screwdriver

Lenath: 229 MM Bolt Cap: 5/16" Max Torque: 6.60 Ft/lbs Free Speed: 800 RPM 1.35 Kg

SI1166-8A

\$499.00



PREP TOOLS



DISC SANDER

C/W backing pad and abrasives Free Speed: 17,000 RPM Length: 144 MN Nett Weight: 0.49 Kg

Abrasive Pads to suit SI2201, SI2202 & SI2210R Prep Tools.

Ideal for removing gaskets without damaging GPA1526X10

Brown Coarse Abrasive 50 mm Pad

GPA1528X10 Maroon Medium Abrasive 50 mm Pad

GPA1527X10

SI2202

\$198.00

2" DISC SANDER

Free Speed: 14,000 RPM

Length: 135 MM

C/W 2" abrasive pads, backing pads and adapter

Blue Fine Abrasive 50 мм Pad

\$28^{.00} PKT

50 мм Pads GPA1529X10

Brown Coarse Abrasive 75 mm Pad Packet of 10 GPA1531X10

Abrasive 75 mm Pad Packet of 10

SI2107A

\$374.00

\$210.00

4" DISC SANDER C/W 3" abrasive pads C/W 3" abrasive pads, backing pads and adapter

Free Speed: 18,000 RPM Length: 167 мм



GPA1530X10

Blue Fine Abrasive 75 мм Pad

Maroon Medium

\$49.00 PKT

2" Mini Dual

 Velcro Pad Length: 170 mm Orbit Dia.: 3 mm Free Speed: 8,500 RPM

Action Sander

SI3100

\$242.00

0.55 Kg

ORBITAL SANDERS

Mini Pistol Grip **Dual Action Sander**

 Velcro Pad Length: 135 mm Orbit Dia.: 3 mm Free Speed: 15,000 RPM

Weight: 0.52 Kg

3" Mini Orbital Velcro Pad Free Speed: 12,000 RPM Orbit Dia.: 3 мм 0.54 Kg Weight:

SI3102M

\$352.00

6" Dual Action Sander Velcro Pad

Free Speed: 10,000 RPM Orbit Dia.: 5 мм Weight: 0.94 Kd

SI3101-6 \$439.00



SI2110

\$225.00

ULTRA COMPACT

75 x 110 Orbital Sander

 Velcro Pad Pad Size: 110 mm x 75 mm Free Speed: 10.000 RPM Orbit Dia.: 4 MM Weight: 0.80 Km

SI3001A \$352.00



6" Dual Action Sander Velcro Pad

Free Speed: 10,000 RPM Orbit Dia.: Weight: 1.82 Kg



6" Dual Action Dust Free Velcro Pad

Free Speed: 10,000 RPM Orbit Dia.: 5 MM Weight: 1.29 Kg Weight:

SI3111-6A \$535.00

NEEDLE SCALERS

Straight Grip Needle Scaler

Length: 333 мм Stroke Length: 4.5 мм Impact Rate: 3,500 BPN Weight: 2.06 kg



\$499.00

Pistol Grip Needle Scaler

Length: 355 мм Stroke Length: 4.5 MM Impact Rate: 3,300 врм Weight: 2.19 Kg



12 MONTH FACTORY WARRANTY

RATCHET WRENCHES



3/8" Super Mini Ratchet

Length: Max Torque: 22 Ft/lbs Free Speed: 300 RPM 0.40 Kg

SI1108B \$220.00



1/4" Mini Ratchet Wrench

Length: 168 m Max Torque: 26 Ft/lbs Weight: 0.51 Kg

SI1200B \$219.00

3/8" Mini Ratchet Wrench

Length: Max Torque: 30 Ft/lbs 0.51 Kg Weight:

SI1205B \$219.00



1/4" Mini Ratchet Wrench

Length: 170 мм Max Torque: 28 Ft/lbs 0.54 Kg

SI1207 \$228.00

3/8" Mini Ratchet Wrench

Length: 170 мм Max Torque: 30 Ft/lbs Weight: 0.54 Kg

SI1208EX \$228.00



3/8" Ratchet Wrench Length: 265 мм

Max Torque: 59 Ft/lbs 1.16 Kg Weight:

SI1320A \$179.00

1/2" Ratchet Wrench Lenath: 265 MM Max Torque: 66 Ft/lbs

1.17 Kg

SI1325A \$1**79**^{.00}

1/2" Ratchet Wrench Length: 263 мм

Max Torque: 85 Ft/lbs Weight: 1.15 Kg

1/2" Heavy Duty Ratchet Length: 368 MM Max Torque: 118 Ft/lbs 1.95 Kg Weight:



Weight:

SI1345B

\$239.00

SI1435 \$425.00

IMPACT WRENCH KITS

1/2" Drive

1/2" Impact Wrench

Includes Case and Sockets Max Torque: 627 Ft/lbs Weight: 1.9 Kg Length: 175 MN



Deep Impact Sockets

- Made from Chrome Molybdenum Steel
- DIN & ANSI standards



SI1490KM

1/2" Impact Wrench (SI1490) C/W 1/2" 13 Piece Metric Socket Set Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 and 30 мм

SI1490KI

1/2" Impact Wrench (SI1490)

C/W 1/2" 13 Piece Imperial Socket Set Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 and 1-1/4

3/4" Drive

3/4" Impact Wrench

Includes Case and Sockets Max Torque: 1.217 Ft/lbs Weight: 3.25 Kg Length: 218 MN



Deep Impact Sockets

- Made from Chrome Molybdenum Steel. Meet or exceed
- DIN & ANSI standards

\$899.00 FA

SI1550KM

35, 36 and 38 мм

3/4" Impact Wrench (SI1550) C/W 3/4" 8 Piece Metric Socket Set Sizes: 26, 27, 29, 30, 32,

SI1550KI

3/4" Impact Wrench (SI1550)

C/W 3/4" 8 Piece Imperial Socket Set Sizes: 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16 and 1-1/2"

IMPACT WRENCHES



3/8" Butterfly Wrench

Max Torque: 66 Ft/lbs 10 mm Bolt Cap: Weight: 0.94 Kg 158 MM Lenath:

1/2" Impact Wrench Max Torque: 332 Ft/lbs

18 MM

148 MM

Bolt Cap:

Weight:

Length:

SI1610

SI1305 \$249.00



Max Torque: 258 Ft/lbs Bolt Cap: 16 MM Weight: 1.03 Kg Length: 148 MM

SI1605 \$299.00



SI1490B \$385.00



3.25 Kg Length: 218 мм

Also available with 6" anvil (SI1556). Call for pricing.

SI1550 \$799.00 1" H-Duty **Impact Wrench** Max Torque: 1,840 Ft/lbs 41 MM Bolt Cap: 10.9 Kg

Also available with 6" anvil (SI1860) or 8" anvil (SI1880). Call for pricing.

Lenath:

SI1860 \$1,225.00

1" H-Duty In-line Grip Impact Wrench

Max Torque: 1,770 Ft/lbs Bolt Cap: 41 MM 10.6 Kg Weight: 350 MM

Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

1-1/2" H-Duty In-line **Grip Impact Wrench**

Max Torque: 4,060 Ft/lbs Bolt Cap: 55 мм Weight: 18 Ka 510 мм

SI1900 \$2,350.00



285 MM



AIR TOOL OIL

- · Add only a couple of drops daily to prolong the performance of any air operated tool
- Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals

Shinano Air Tool Oil 250 ml

SI250 \$9.50

SI1000

\$17.00

Shinano Air Tool Oil 1 Litre

Shinano Air Tool Oil

5 Litre

SI5000 \$69.00





FEBRUARY-MAY Quality Japanese Air Tools

CUTTING TOOLS

Multifunction Mini Air Saw Free Speed: 10.500 RPM

Weight: 0.52 Kg SI4740

Quality Bi-metal Metal Blades PT301A18 18 TPI of 5 Pack

PT301A24 24 TPI of 5 Pack PT301A32

32 TPI of 5 Pack



\$352.00

Metal Cutting Shear 230 мм Length: Free Speed: 2,000 spm Weight: 1.26 Kg SI4500 \$410.00

Air Nibbler . 175 мм Lenath:



Laminate Trimmer 1/4" collet size 177 мм Length: Free Speed: 22,000 RPM Weight: 0.91 Ka

Body Saw

Stroke Length: 5 мм Free Speed: 10,000 RPM Lenath: 259 мм Weight:

\$315.00



3" Cut Off Grinder

Lenath: 196 мм Free Speed: 20,000 RPM 1.00 Ka

3" Cut Off Discs Pack of 5

New discs only 0.8 mm thick. Cuts quicker and cleaner saving you time and money. Speed rated to 25,000 RPM Ø75 x 0.8 x Ø9.53 mm

CO007K \$18^{.00} EA

Oscillation Sealant Cutter & Sander

C/W 75 мм pad and standard 90 мм blade. Length: 182 MM Free Speed: 21,000 OPM 0.65 Kg

S13200A \$348.00

\$192.00





HAMMERING TOOLS

SI4120A

\$215.00

10.2 MM Pistol Grip Air Hammer

Length: 208 MM Impact Rate: 2,600 BPM Weight: 1.60 Kg



Spring Retainer Suits most hammers.



Shinano Flat 7" X 3/4" Chisel



Shinano Paint Scraper Chisel Shank Dia.: 10 мм / 0.401 60 мм blade.

> **SI823** \$55.00

BELT SANDERS

10 мм Belt Sander

- 160° adjustable sanding arm
- Includes 6, 10 MM sanding belts
- Includes in-line air regulator for quick speed adjustments Belt Size: 330 x 10 or 12 mm

Free Speed: 15,000 RPM 0.73 Kg



SI2740 \$360.00

SI2830

\$699.00



1.43 Kg



40 Grit 10 mm x 330 mm Pkt 10 SIP10MMXP40

60 Grit 10 mm x 330 mm Pkt 10 SIP10MMXP60

20 MM Sanding Belts (suits SI2800)

40 Grit 20 mm x 520 mm Pkt 10 SIP20MMXP40

60 Grit 20 mm x 520 mm Pkt 10 SIP20MMXP60

80 Grit 10 mm x 330 mm Pkt 10 SIP10MMXP80

30 мм Belt Sander

Weight:

Belt Size: 540 x 30 mm Free Speed: 10,000 RPM

2.02 Kg

100 Grit 10 MM x 330 MM Pkt 10 SIP10MMXP100

120 Grit 10 MM x 330 MM Pkt 10 SIP10MMXP120

80 Grit 20 mm x 520 mm Pkt 10 SIP20MMXP80

100 Grit 20 mm x 520 mm Pkt 10 SIP20MMXP100

120 Grit 20 MM x 520 MM Pkt 10 SIP20MMXP120

SI2201KIT3 \$439.00

30 MM sanding belts also available.

SANDING KITS

\$38^{.00} PKT

\$25^{.00} PKT

High Speed Sanding Kit

Micro Disc Sander (SI2201) Free Speed: 17,000 RPM Length: 144 MM Nett Weight: 0.49 kg

- 1 x 50 mm quick-lock backing pad
- 1 x 75 mm quick-lock backing pad 5 x 50 mm 36, 60 & 80 Grit Discs
- 5 x 75 mm 36 & 80 Grit Discs
- 2 x 50 mm 40, 60, 80 & 120 Grit Flap Discs
- 2 x 75 mm 40, 60 & 80 Grit Flap Discs
- 2 x 50 mm Clean & Strip Discs 2 x 75 mm Clean & Strip Discs

SPARE ABRASIVES SOLD IN PACKS.

50 мм Q-Lock Backing Pad Suits all Q-Lock pads



75 MM Q-Lock Backing Pad Suits all Q-Lock pads. **GPA1524K**

\$19.00



50 mm Q-Lock Felt Polishing Pad Fits to 50 MM Q-Lock Backing Pad (PN: GPA1523)

> 75 MM O-Lock Felt Polishing Pad Fits to 75 MM Q-Lock Backing Pad (PN: GPA1524).



GPA1525 \$8^{.00} EA

GPA1575 \$12^{.00} EA



