

# WORKSHOP

CATALOGUE Oct. 2017 - Jan. 2018

Air Tools

PAGE 2

Air Tool Accessories

PAGE 9

Workshop Equipment

PAGE 14

Hand Tools

PAGE 16

Engineering Equipment

PAGE 19

Valid 1<sup>st</sup> of October, 2017 to 31<sup>st</sup> of January, 2018.  
All prices quoted include GST.

## 24 Piece Deburring Set

Set of Multi-Component and Quick Release Handles including a comprehensive range of 3 & 6 mm deburring blades and accessories.

PN: GD88030  
**\$220**

**geiger™**

See full range on page 17.

## 9" (225 MM) Merino Wool Polishing Bonnet.

• 100% Merino sheep skin wool pile with tie cord.

Max. speed: 2,500 RPM  
Thickness: 32 MM

PN: FP40025  
**\$39**



**flexipads®**

See full range on page 11.



## Super-Compact 1/2" Impact Wrench

Free Speed: 9,500 RPM  
Max. Torque: 500 Ft/lbs  
Weight: 1.65 Kg

**97mm HEAD!**

See full range on page 2.



**NEW!**

PN: KP1479  
**\$269**

**ACCUD**

## Digital Hardness Gauge

- Based on HL scale and supports other hardness scales (HV, HB, HRC, HRB, HS) and tensile strength in MPa
- Average value calculation function
- Conforms to ASTM A956-02 standard

Resolution: 1HLD, 1HV, 1HB, 0.1HRC, 0.1HRB, 1HS, 1MPa  
Accuracy: ±8 HLD / 0.8 HRC (HLD=800)  
Max. surface roughness: Ra<1.6 µm

See full range on page 20.



PN: AC-HL400  
**\$1599**

## 43 Piece 1/4" Chrome Vanadium Socket Set

Set includes: Off-set Ratchet Handle (72 Gears), 2" & 6" Extension Bars, Flexible Extension Bar, Spinner Handle, Universal Joint & 3 Way Adapter.

Drive Sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 MM  
Torx Drivers: T8, T9, T10, T15, T20, T25, T27, T30 & T40  
Phillips Drivers: 1, 2 & 3  
Slot Drivers: 4, 5.5 & 6.5  
Pozi Drivers: 1, 2 & 3  
Hex Drivers: H3, H4, H5, H6 & H8



PN: GP1599-5  
**\$59**

**geiger™**

Made in Taiwan



## Automotive & Hardware Assortment Kits

### Japanese Sems Fine Hex Bolts



PN: AAK01  
**\$32**

140 piece kit includes an assortment of M5x16, M5x20, M5x25, M6x16, M6x20, M6x25, M8x16, M8x20, M8x25 & M8x30 Japanese Automotive Fine Hex Sems screws.

### Spade, Flag, Butt & Bullet Connectors



PN: AAK21  
**\$38**

110 piece kit includes an assortment of 19 types of spade, flag, butt & bullet connectors, in a variety of Blue Red & Yellow.

See range on page 16.

## K818 Gravity Feed Spray Gun

Working Pressure: 30-45 psi  
Fluid Capacity: 600 cc  
Nozzle: 1.4 MM S-Steel  
Pattern Width: 310 MM  
Fluid Output: 220 ml  
Weight: 280 g

PN: K818M14  
**\$199**

**PROWIN™ TOOLS**

See full range on page 3.

## 1/2" Impact Wrench Kit

- Rubber nose protector with front exhaust

Kit includes 10 sockets, 9, 10, 11, 13, 14, 17, 19, 22, 24 & 27 MM  
Max Torque: 260 Ft/lbs  
Free Speed: 7,000 RPM  
Weight: 2.0 Kg

See full range on page 6.

**geiger™**

PN: GP504K  
**\$139**





### PISTOL GRIP DISC SANDERS

#### Two Speed Air Sander

- Includes 50 mm & 75 mm Quick-Lock Backing Pads

Free Speed: 15,000 RPM  
Weight: 0.45 Kg

PN: KP6712  
**\$148**



#### 3" Pistol Grip Orbital Sander

- Two Speed
- Includes 75 mm Velcro Pad

Free Speed: 15000 RPM  
Spindle: 5/16"-24 UNC  
Orbital Diameter: 1.5 mm  
Weight: 0.58 Kg

PN: KP6628  
**\$189**



#### 3" Pistol Grip Dual Mode Sander

- Two Speed
- Quickly switch between Rotary & Orbital Sanding
- Includes 75 mm Velcro Pad

Free Speed: 6,000 RPM  
Orbital Diameter: 1.5 mm  
Length: 175 mm  
Weight: 0.74 Kg

PN: KP6635  
**\$199**



### HEAVY DUTY AIR/HYDRAULIC RIVETER

Rivet Caps: 5/16", 1/4", 7/32" & 3/16"  
Pulling Power: 3800 lbs  
Stroke: 22.5 mm  
Air Inlet: 1/4"  
Weight: 1.88 Kg

*Ideal for Stainless Rivets!*

PN: KP4210VK  
**\$655**



### HEAVY DUTY NEEDLE SCALER

Blows / Min: 3,700 BPM  
Overall Length: 350 mm  
19 Needles Ø3 x 180 mm

PN: KP4722P  
**\$329**



### PITTSBURGH HAMMER

Impact Rate: 4,200 BPM  
Stroke: 50 mm  
Length: 260 mm  
Weight: 2.20 Kg

PN: KP4711PH  
**\$219**



### Heavy Duty Chipping Hammer

- Side Exhaust
- Stroke: 102 mm  
Blows/Min: 1500 BPM  
Length: 350 mm  
Weight: 9 Kg

PN: KP4735S3H  
**\$699**



#### 25 mm Flat Chisel to suit KP4735SH.

Shank Diameter: 14.5 mm AF Hex  
Length: 260 mm

PN: KPAC10021AH  
**\$55**



#### 25 mm Moil Point Chisel to suit KP4735SH.

Shank Diameter: 14.5 mm AF Hex  
Length: 260 mm

PN: KPAC10022AH  
**\$55**



### HEAVY DUTY AIR CAULKING GUN

Takes 50 mm diameter sausages  
400, 500 & 600 ml psi.  
Air pressure: 45-90 psi  
Length: 550 mm  
Weight: 0.9 Kg

PN: KP4613  
**\$219**



### IMPACT WRENCHES

#### 3/4" Heavy Duty Impact Wrench

Free Speed: 5,500 RPM  
Max Torque: 1100 FT/LBS  
Nett Weight: 5.6 Kg

PN: KP1030  
**\$799**



#### 1" Super Duty Impact Wrench

Free Speed: 5,000 RPM  
Max. Torque: 1,800 Ft/lbs  
Weight: 7.10 Kg

PN: KP1838A-P  
**\$1,100**



#### 3/4" Heavy Duty Impact Wrench

*6" Extended Anvils Available.*

Free Speed: 6,500 RPM  
Max Torque: 750 Ft/lbs  
Nett Weight: 4.55 Kg

PN: KP1023  
**\$550**



#### Super Duty Impact Wrenches

Free Speed: 5,500 RPM  
Max. Torque: 1,600 Ft/lbs  
Length: 325 mm  
Air Inlet: 1/2"  
Weight: 5.8 Kg

**3/4" Drive**  
PN: KP1635  
**\$999**

**1" Drive**  
PN: KP1835  
**\$1,050**



#### 1" HD Impact Wrench

- 4 power settings with separate forward & reverse lever
- Rubber body protection
- Side handle

Free Speed: 3,500 RPM  
Max. Torque: 2,500 Ft/lbs  
Length: 436 mm  
Air Inlet: 1/2"  
Weight: 15.55 Kg

PN: KP1045  
**\$1,950**



## SG420 Gravity Feed Air Brush



PN: SG420A  
**\$110**

Nozzle: 0.3 MM  
Working Pressure: 14-50 PSI  
Fluid Capacity: 7 cc  
Weight: 280 g

## K818 Gravity Feed Spray Gun



**\$199 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 600 cc  
Weight: 280 g

1.3 MM Nozzle PN: K818M13  
1.4 MM Nozzle PN: K818M14  
1.8 MM Nozzle PN: K818M18  
2.5 MM Nozzle PN: K818M25

## KH818 Gravity Feed HVLP Spray Gun



**\$229 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 600 cc  
Weight: 514 g

1.3 MM Nozzle PN: KH818M13  
1.4 MM Nozzle PN: KH818M14  
1.8 MM Nozzle PN: KH818M18

## K818 Suction Feed Spray Gun



**\$199 EA**

- Forged aluminum body and Stainless steel nozzle & needle
- Teflon seals & packing

Working Pressure: 30-45 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g

1.3 MM Nozzle PN: K818S13  
1.8 MM Nozzle PN: K818S18  
2.0 MM Nozzle PN: K818S20  
2.5 MM Nozzle PN: K818S25

## KH818 Suction Feed HVLP Spray Gun



**\$229 EA**

- Forged aluminum body & Stainless steel nozzle & needle
- HVLP nozzle delivers exceptional fluid atomization.
- Teflon seals & packing.
- Includes mini air regulator

Working Pressure: 20-28 PSI  
Fluid Capacity: 1000 cc  
Weight: 514 g

Nozzle: 1.8 MM S-Steel

1.8 MM Nozzle PN: KH818S18

## K320 Mini Gravity Feed Spray Gun



**\$149 EA**

Working Pressure: 30-45 PSI  
Fluid Capacity: 125 cc  
Weight: 280 g

Nozzle: 0.8 MM S-Steel

PN: K320M08

Nozzle: 1.2 MM S-Steel

PN: K320M12

## Pressure Feed Spray Gun Systems



### 2 Litre Pressure Feed Spray Gun System

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

#### 2 Litre Pressure Feed Tank

Tank dimensions:  
130L MM x 130W MM x 445H MM  
Capacity: 2 Litre  
Max. pressure: 60 PSI  
Weight total: 2.15 Kg

1.2 MM Nozzle PN: PW2LTRK12  
1.5 MM Nozzle PN: PW2LTRK15  
1.8 MM Nozzle PN: PW2LTRK18  
2.0 MM Nozzle PN: PW2LTRK20  
2.5 MM Nozzle PN: PW2LTRK25

**\$399 EA**

### 10 Litre Pressure Feed Spray Gun System

Features:

- 3 meter hose
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Tank handle/hanger

#### 10 Litre Pressure Feed Tank

Tank dimensions:  
315L MM x 315W MM x 485H MM  
Capacity: 10 Litre  
Max. pressure: 60 PSI  
Weight total: 10.1 Kg

1.2 MM Nozzle PN: PW10LTRK12  
1.5 MM Nozzle PN: PW10LTRK15  
1.8 MM Nozzle PN: PW10LTRK18  
2.0 MM Nozzle PN: PW10LTRK20  
2.5 MM Nozzle PN: PW10LTRK25

**\$599 EA**

### 20 Litre Pressure Feed Spray Tank System

Features:

- 10 meter hose
- Stainless Steel Liner
- Tank Pressure Regulator
- Air release valve
- Safety release valve
- Manual Agitation

#### K818 Pressure Feed 20 Litre Pressure Feed Tank

Tank dimensions:  
400L MM x 400W MM x 780H MM  
Capacity: 20 Litre  
Max. pressure: 60 PSI  
Weight total: 26 Kg

1.2 MM Nozzle PN: PW20LTRK12  
1.5 MM Nozzle PN: PW20LTRK15  
1.8 MM Nozzle PN: PW20LTRK18  
2.0 MM Nozzle PN: PW20LTRK20  
2.5 MM Nozzle PN: PW20LTRK25

**\$1195 EA**



### Cut Off Grinders

#### 3" In-line Cut-off Grinder

- Spindle lock button for easier cut off wheel replacement
- Rear exhaust

Includes one cut-off disc.  
Free Speed: 18,000 RPM  
Length: 225 mm  
Weight: 0.8 kg



PN: GP3203  
**\$169**

#### 3" Cut Off Grinder

- Built in speed regulator
- Rear exhaust

Free Speed:  
22,000 RPM  
Weight: 0.75 kg



PN: GP3201  
**\$99**

#### 3" Cut Off Discs pkt 5

Discs only 0.8 mm thick.  
Ø75 x 0.8 x Ø9.53 mm  
Speed Rated to  
25,000 RPM



PN: C0007K  
**\$18**

### 7" Sanders & Polishers



See Velcro Backing Pads to  
suit on page 11.

#### 7" Disc Sander

Spindle: Male 5/8-11UNC  
Free Speed: 4,500 RPM  
Weight: 2.6 kg  
Avg Air Cons.: 12 cfm

PN: GP1206A  
**\$265**

#### 7" Angle Polisher

Spindle: Male 5/8-11UNC  
Free Speed: 2,500 RPM  
Weight: 2.6 kg  
Avg Air Cons.: 12 cfm

PN: GP1206P  
**\$265**

### Belt Sanders

#### 10 mm Belt Sander

Belt Size: 10 x 330 mm

PN: GP1264A  
**\$210**

#### 20 mm Belt Sander

Belt Size: 20 x 520 mm

PN: GP1265A  
**\$330**

#### 10 mm ZIRCONIA SANDING BELTS



40 Grit 10 mm x 330 mm  
Pack of 10

PN: SIP10MMXP40

60 Grit 10 mm x 330 mm  
Pack of 10

PN: SIP10MMXP60

80 Grit 10 mm x 330 mm  
Pack of 10

PN: SIP10MMXP80


100 Grit 10 mm x 330 mm  
Pack of 10

PN: SIP10MMXP100

120 Grit 10 mm  
x 330 mm Pack of 10  
PN: SIP10MMXP120

**\$25 Pkt**

#### 20 mm ZIRCONIA SANDING BELTS



40 Grit 20 mm x 520 mm  
Pack of 10

PN: SIP20MMXP40

60 Grit 20 mm x 520 mm  
Pack of 10

PN: SIP20MMXP60

80 Grit 20 mm x 520 mm  
Pack of 10

PN: SIP20MMXP80

100 Grit 20 mm x 520 mm  
Pack of 10

PN: SIP20MMXP100

120 Grit 20 mm x 520 mm  
Pack of 10  
PN: SIP20MMXP120

**\$38 Pkt**

### Angle Grinders



#### 4" Heavy Duty Angle Grinder

Disc Size: 4" (100 mm)  
Spindle Size: M10 x 1.5  
Free Speed: 11,000 RPM  
Weight: 1.95 kg

PN: GP8102  
**\$239**

#### 5" Heavy Duty Angle Grinder

Disc Size: 5" (125 mm)  
Spindle Size: M14 x 2.0  
Free Speed: 11,000 RPM  
Weight: 1.95 kg

PN: GP31003  
**\$269**

### Surface Prep Tool & Accessories

#### 5" Disc Sander

Includes 3", 4-1/2" & 5" fibre pads, for  
22 mm hole abrasives, thread adapter  
for 50 mm pad & 50 mm abrasive pads

Spindle Size: 3/8 x 24 UNF  
Free Speed: 16,000 RPM  
Weight: 1.2 kg

PN: GP1204R  
**\$125**



### Grease Gun

Air & manual  
grease gun.

PN: GP1081D  
**\$118**



Takes standard  
500 cc Cartages.

Kit includes one Cartage  
Cannister and Manual &  
Pneumatic Heads.

### Hydraulic Riveters

#### 3/16" Air-Hydraulic Riveter



PN: GP6302  
**\$329**

Rivet Capacity:  
3/32, 1/8, 5/32 & 3/16"  
Traction Power:  
1,980 Ft/lbs  
Weight: 1.45 kg

**NOT SUITABLE FOR  
STAINLESS RIVETS**

#### 3/16" Air-Hydraulic Rivet Gun

Rivet Capacity: 3/32, 1/8, 5/32, 3/16"  
Traction Power: 1950 lbs  
Weight: 1.5 kg



PN: GP1121D  
**\$239**



### BLOW GUN & DUSTERS

#### 4" Rubber Tipped Blowgun

- Integrated metal inlet thread
- Rubber Tip

Length: 110 mm  
Inlet: Japanese  
Compatible Fitting  
Material: POM/Steel



PN: GP1562  
**\$16**

#### Pocket Blowgun

- Rubber Tip
- Roll Throttle

Length: 115 mm  
Inlet: Japanese  
Compatible Fitting  
Material: Aluminium/POM



PN: PBG-N  
**\$10**

#### Extendable Blow Gun

Length: 270 to 390 mm  
Inlet: Japanese  
Compatible Fitting  
Material: POM/Steel



- Adjustable nozzle length.
- 360° adjustable nozzle angle.
- Locking ring.
- Integrated metal inlet thread

PN: GP1562E  
**\$25**

#### 3/8" High Flow Blow Gun Kit (All Metal)

Japanese compatible fitting.

Kit includes:

- High Flow Duster
- Easily Adjustable High Flow Nozzle.
- Heavy Duty High Flow Nozzle
- Standard Nozzle.



PN: GHF60AS  
**\$46**

#### Air blower gun

Features integrated 2 metre air hose.

PN: GPB90K  
**\$49**



### Wonder Gun Kit

Kit includes flat & small bore tubes, brush, flexible extension hose attachments and dust bag.

The venturi can be manually reversed to convert from blow to vacuum function. Suitable for sawdust, iron chips, dust & sand. Easy waste removal via a zipper along the end of the dust bag.



PN: GPA0206KB  
**\$74**

### Straight Needle Scaler Kit

Kit includes: Straight Needle Scaler, 1 x Moil Point Chisel, 1 mm Flat Chisel, 1 x 35 mm Bent Chisel & 1 x Needle Scaler Attachment

Impact Rate: 4,000 BPM  
Shank Type: B1-C-LT  
Overall length: 460 mm  
Piston Stroke: 38 mm  
Weight: 2.1 Kg.



PN: GP268K  
**\$385**

### Air Hammer Kit

Kit includes 5 Chisels, Oiler, Spring Retainer & Case.

Stroke Length: 19.05 mm  
Free Speed: 3,000 BPM  
Shank Size: 10.2 mm  
Weight: 1.70 Kg



PN: GP102KD  
**\$99**

#### Needle Scaler Attachment

Round Shank (Fits most Air Hammers)



PN: GP60012  
**\$89**

#### Spring Retainer For Air Hammers

Heavy Duty Quick Change



PN: GPA2311  
**\$45**

### Sandblaster

All in one design with top mounted hopper is perfect for spot and rust removal on small areas.

Capacity: 266 cc  
Recommended air pressure: 90 PSI



PN: GPASB100  
**\$55**

### Air Caulking Gun

• Aluminium body  
Cartridge Size: 310 CC  
Pressure Range: 45-90 PSI  
Weight: 1.3 Kg



PN: GP203  
**\$69**

### Needle Scaler

- Two part construction for fast dismantling and replacement of worn needles
- Nineteen 3 mm x 180 mm needles

Stroke Length : 33 mm  
Impact Rate: 4,600 BPM  
Overall length: 420 mm  
Weight: 2.8 Kg



PN: GP201  
**\$295**

### Tyre Inflators

#### Straight Dual Access Tyre Chuck

- Internal serration to grip tread

Inlet: Female 1/4" NPT  
Output: Schrader valve



PN: GPA1570  
**\$25**

#### Tyre Chuck with Flexible Hose

Inlet: JIS standard male plug  
Output: Schrader Valve  
Max. air pressure: 90 PSI



PN: GPATC-2  
**\$19**

### Deluxe Tyre Inflator

Measuring range: 0-160 PSI  
Units: PSI, KPA  
Output: Schrader Valve



PN: GPA6200  
**\$99**



### Impact Wrenches



#### 1/2" Impact Wrench

Max Torque: 500 Ft/lbs  
Nett Weight: 2.0 Kg

#### 3/4" Impact Wrench

Max Torque: 1100 Ft/lbs  
Nett Weight: 3.48 Kg

### Sanders

#### 6" Random Orbital Sander



Pad Size: 6" (velcro)  
Orbit Diameter: 7 mm  
Free Speed: 9,000 RPM  
Weight: 2.0 Kg

#### Straight Line Sander

Takes 70 x 445 mm clip on paper.  
Ideal for flat panel automotive work.  
Pad Size: 397 x 68 mm  
Free Speed: 2,500 RPM  
Weight: 2.5 Kg



### Die Grinders

#### 1/4" Medium Die Grinder

Collet Size: 1/4"  
Free Speed: 22,000 RPM  
Weight: 0.675 Kg



#### 1/8" Micro Die Grinder Kit

Free Speed: 55,000 RPM  
Includes grinding stones  
in polymer case



### Metal Cutting Tools

#### Air Body Saw



9.5 mm Stroke Length  
Cuts 1.6 mm mild steel

#### Metal Shear Pistol Grip

Free Speed: 2500 SPM  
Cuts 1.6 mm Mild Steel



#### Quality Bi-metal Metal Blades

18 TPI Pack of 5

PN: PT301A18

24 TPI Pack of 5

PN: PT301A24

32 TPI Pack of 5

PN: PT301A32



#### Punch and Flange Tool

Punches 5 mm diameter hole



### Air Engraving Stylus

Percussion engraver ideal for marking steel or aluminium.  
Includes medium stylus.



GP110 Fine Point Stylus

PN: GP110-16

GP110 Medium Point Stylus

PN: GP110-17

GP110 Wide Point Stylus

PN: GP110-18

**\$59 EA**

### Drills

#### 3/8" Reversible Keyless Drill



Free Speed: 1,800 RPM  
Chuck Size: 3/8" (10 mm)  
Drilling Capacity: 10 mm (3/8")  
Spindle Size: 3/8 x 24 UNF  
Weight: 1.36 Kg

#### 1/2" Reversible Keyed Drill



Free Speed: 800 RPM  
Chuck Size: 1/2" (12.7 mm)  
Drilling Capacity: 13 mm (1/2")  
Spindle Size: 3/8 x 24 UNF  
Weight: 1.76 Kg

#### 3/8" Angle Reversible Drill

Free Speed: 1500 RPM  
Chuck Size: 3/8" (10 mm)  
Drilling Capacity: 10 mm (3/8")  
Spindle Size: 3/8 x 24 UNF  
Weight: 1.02 Kg



### Engine Cleaner

Siphon feed, connects to an external supply of degreaser

- 1.2 m hose with built in strainer
- Flow rate control

Length: 405 mm



**\$42**



### NAIL & STAPLER GUNS

#### Medium Duty 80 Series Stapler

Staple Crown:  
12.8 MM (80 Series)  
Staple Length:  
6-16 MM  
Capacity: 100 Staples  
Weight: 0.90 Kg



PN: BN8016E  
**\$145**

#### Standard 97 Series Stapler

Staple Crown:  
4.5 MM (97 Series)  
Staple Length:  
10-25 MM  
Capacity: 142 Staples  
Weight: 1.2 Kg



PN: BS9725B1  
**\$185**

#### 32 MM C1 Bradder

Nail Shank:  
1.00 x 1.25 MM  
Nail Length:  
10-32 MM  
Capacity: 100 Nails  
Weight: 0.60 Kg



PN: B1832PA2  
**\$148**

#### Heavy Duty Stapler

Staple Crown: 5.8 MM  
(6000/L Series)  
Staple Length: 13 MM  
- 40 MM  
Capacity: 160 Staples  
Weight: 1.70 Kg



PN: B9040A1  
**\$299**

#### 50 MM C1 Bradder

Nail Shank:  
1.00 MM x 1.25 MM  
Nail Length: 16-50 MM  
Capacity: 100 Nails  
Weight: 1.50 Kg



PN: B1850A1  
**\$195**

#### Medium Duty C-Brad Nailer

Nail Shank: 1.4-1.6 MM  
Fastener Length:  
19-50 MM  
Capacity: 100 Nails  
Weight: 1.50 Kg



PN: B1650LA1  
**\$239**

#### 34° DA Nailer

Nail Shank: 1.8 MM  
Fastener Length:  
25-64 MM  
Angle: 34°  
Capacity: 100 Nails  
Weight: 1.90 Kg



PN: BA3464A1  
**\$299**

#### Medium Duty 6000/L Series Stapler

Staple Crown:  
5.8 MM (6000/L Series)  
Staple Length:  
13-40 MM  
Capacity: 100 Staples  
Weight: 1.18 Kg



PN: BS9040LA1  
**\$239**

#### Heavy Duty C-Brader

Nail Shank:  
1.4 MM x 1.6 MM  
Fastener Length:  
19-50 MM  
Capacity: 100  
Weight: 2.00 Kg



PN: B1650B1  
**\$299**

#### Heavy Duty 0° Coil Nailer

Nail Shank: 2.03-2.8 MM  
Fastener Length: 32-65 MM  
Angle: Flat 0 Degrees  
Capacity: 200-400 nails  
Weight: 2.3 Kg

PN: BC2865F1  
**\$549**

#### Heavy Duty 15° Coil Nailer

Nail Shank: 2.1-2.8 MM  
Fastener Length: 32-65 MM  
Angle: 15 Degrees  
Capacity: 200-400 nails  
Weight: 2.0 Kg

PN: BC2865D1  
**\$549**



#### 90 MM Angle Framing Gun

Nail Shank: 2.9-3.3 MM  
Fastener Length:  
50-90 MM  
Capacity: 90 nails  
Angle: 34°  
Weight: 3.50 Kg



PN: BA3490F1  
**\$459**

### RIVETING TOOLS

**Hand Operated Nutsert Set**  
Set includes aluminium  
M4, M5, M6 & Steel M6 nutserts,  
M4, M5, M6 Mandrels and  
instructions.

Extra nutserts available  
in packs of 50



PN: SNSC456  
**\$169**

**Heavy Duty Hand Riveter**  
Riveting sizes: 2.4, 3.2, 4.0, 4.8 MM  
• Die-cast aluminium body  
• High carbon steel Handle  
• Nonslip comfortable grip.



PN: SNPRO3000  
**\$49**

#### Long Handled Nutsert Tool

• Sets nutserts into Steel,  
Aluminium & Stainless Steel.  
Includes: M4, M5, M6,  
M8, M10 Mandrels  
Weight: 1.5 Kg

PN: SNHN096  
**\$295**



**SETS STAINLESS  
STEEL NUTSERTS**

#### Heavy Duty Air/Hydraulic Nutsert Tool

This heavy duty tool is suitable for  
setting aluminium, steel and stainless  
steel nutserts from 4 MM to 10 MM.  
Manual nutsert release spindle.  
Includes: M4, M5, M6, M8, M10 mandrels,  
Weight: 1.5 Kg

PN: SNAN800  
**\$959**





### 1/2" Twin Hammer Impact Wrench

Max Torque: 685 Ft/lb  
Weight: 1.94 Kg

For Heavy automotive and truck work, such as tyre changing, shock, spring work and front end work where extra powerful tools are needed.




PN: BIT260M1  
**\$299**

### 1/4" Medium Die Grinder

Free Speed: 20,000 RPM  
Collet Size: 1/4"  
Weight: 0.55 Kg

PN: BG210R  
**\$159**



### 1/4" Angle Die Grinder

Collet Size: 1/4"  
Free Speed: 18,000 RPM  
Length: 178 MM  
Weight: 0.80 Kg

PN: BG220RA1  
**\$189**



### 1/4" 5" Extended Die Grinder

Collet Size: 1/4"  
Free Speed: 21,000 RPM  
Length: 280 MM  
Weight: 0.80 Kg



PN: BG215RA1  
**\$189**

PN: BIP114A1  
**\$199**

### 3/8" Impact Wrench

Free Speed: 10,000 RPM  
Max Torque: 190 Ft/lbs  
Weight: 1.23 Kg  
Length: 158 MM



PN: BIT3110  
**\$599**

### 3/4" Twin Hammer Impact Wrench

Max Torque: 1,100 Ft/lbs  
Free Speed: 5,500 RPM  
Weight: 5.72 Kg  
Length: 227 MM



### 3" Cut Off Tool



Free Speed: 21,000 RPM  
Length: 195 MM  
Weight: 0.8 Kg

PN: BCTA1  
**\$139**

### 2" Angle Grinder

Free Speed: 15,000 RPM  
Length: 178 MM  
Weight: 0.8 Kg



PN: BG222RA1  
**\$189**

### 3/8" Extended Ratchet Wrench

Max Torque: 30 Ft/lbs  
Length: 389 MM  
Weight: 1 Kg



PN: BRP103LC1  
**\$185**

### 3" Cut Off Discs Pack of 5

Discs only 0.8 mm thick.  
Rated Speed: 25,000 RPM



PN: C0007K  
**\$18**

### 50 MM Angle grinder disc

Suits BG222RA1  
Max Speed: 23,000 RPM  
Size: 50 x 4 x 9.53 MM



PN: 3510232  
**\$8.50**

### 6" Random Orbital Sander

Disc Size: 6"  
Orbit Diameter: 5 MM  
Free Speed: 12,000 RPM  
Spindle Size: 5/16 x 24 UNF  
Weight: 0.99 Kg



PN: BOS156A1  
**\$239**

### 6" Random Orbital Self Generating Dust Free Sander

Orbit Dia.: 5 MM  
Free Speed: 12,000 RPM  
Spindle Size: 5/16 x 24 UNF  
Weight: 0.99 Kg



PN: BOS156SA1  
**\$259**

### Air Hammer Kit

Includes: 5 chisels & quick change spring retainer  
Impact Rate: 2,900 BPM  
Chisel shank: 10.2 MM



PN: BHA67A1  
**\$229**



## A one of a kind brush system

Unlike other sweeping brush devices, Haaga sweepers rely on there patented disk brush technology. These two specially made circular brushes cut under the waste material and whisk it directly into the waste container. The coarse or fine debris is not run over or pushed around in front of the sweeper.



### haaga 255

200 Series Commercial Sweeper  
Cleaning Width: 550 MM  
Performance: 1600 m2/h  
Capacity: 25 Liters  
Weight: 6 Kg (empty)



PN: HG255  
**\$349**

### haaga 477

400 Series Commercial Sweeper  
Cleaning Width: 770 MM  
Performance: 2,900 m2/h  
Capacity: 50 Liters  
Weight: 13 Kg (empty)



PN: HG477  
**\$799**

### haaga 497

400 Series Commercial Sweeper  
Cleaning Width: 970 MM  
Performance: 3,600 m2/hr  
Capacity 50 litres.  
Weight: 15 Kg (empty)



PN: HG497  
**\$999**



## SOCKET SETS

Made from Chrome  
Molybdenum Steel CR-MO.

Meet or exceed  
DIN & ANSI standards.

### 3/8" DRIVE



**3/8" 8 Piece Metric Socket Set**  
Sizes: 8, 10, 11, 12, 13,  
15, 17 & 19 mm

PN: GX838SSM  
**\$59**

**3/8" 8 Piece Imperial Socket Set**  
Sizes: 5/16", 3/8", 7/16", 1/2",  
9/16", 5/8", 11/16" & 3/4"

PN: GX838SSI  
**\$59**

### 1/2" DRIVE



**1/2" 13 Piece Metric Socket Set**  
Sizes: 10, 12, 13, 14, 15, 17, 18,  
19, 21, 22, 24, 27 & 30 mm

PN: GX1312SSM  
**\$129**

**1/2" 13 Piece Imperial Socket Set**  
Sizes: 7/16, 1/2, 9/16, 5/8, 11/16,  
3/4, 13/16, 7/8, 15/16, 1, 1-1/16,  
1-1/8 & 1-1/4"

PN: GX1312SSI  
**\$129**

### 3/4" DRIVE



**3/4" 8 Piece Metric Socket Set**  
Sizes: 26, 27, 29, 30, 32,  
35, 36 & 38 mm

PN: GX834SSM  
**\$179**

**3/4" 8 Piece Imperial Socket Set**  
Sizes 1, 1-1/16, 1-1/8, 1-1/4,  
1-5/16, 1-3/8, 1-7/16 & 1-1/2"

PN: GX834SSI  
**\$179**

### 1" DRIVE



**1" 9 Piece Metric Socket Set**  
Sizes 24, 27, 30, 32, 33, 36,  
38, 41 and 46 mm

PN: GX91SSM  
**\$339**

**1" 9 Piece Imperial Socket Set**  
Sizes 1, 1-1/8, 1-1/4, 1-3/8,  
1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2"

PN: GX91SSI  
**\$339**

### 1/2" DRIVE HEX BIT SET



Made from SNCR 8660 Steel which allows 20% more  
torque than CR-MO.

**1/2" 8 Piece Metric Hex Bit**  
Socket Length 60 mm  
Sizes: H5, H6, H8, H10, H12,  
H14, H17 & H19 mm

PN: GX12HBSM  
**\$79**

**1/2" 8 Piece Imperial Hex Bit**  
Socket Length 78 mm  
Sizes: 1/4", 5/16", 3/8", 7/16",  
1/2", 9/16", 5/8" & 3/4"

PN: GX12HBSSI  
**\$79**

## SPIN EXTENSIONS

The ergonomic roller-bearing grab handle protects your  
hand from friction burns, burs and "glove grab". Its use  
also helps to balance heavy impact tools. The aluminum  
alloy handle is permanently mounted  
on the CrMo extension.



**1/2" Spin Extension**  
Length: 8"

PN: GX12SE  
**\$39**

**3/4" Spin Extension**  
Length 10"

PN: GX34SE  
**\$69**

## IMPACT UNIV. JOINTS



3/8" Drive  
Universal Joint  
Overall Length 50 mm

PN: GX38U  
**\$19**

1/2" Drive  
Universal Joint  
Overall Length 63 mm

PN: GX12U  
**\$22**

3/4" Drive  
Universal Joint  
Overall Length 90 mm

PN: GX34U  
**\$39**

Molybdenum  
Steel CR-MO.

## WOBBLE IMPACTING BAR SETS

Made from Chrome  
Molybdenum Steel CR-MO.



**1/4" Wobble Extension Bar  
5 Piece Set**  
Kit includes:  
3", 6", 10" &  
12" bars

PN: GXWEBS14  
**\$39**

**3/8" Wobble Extension Bar  
4 Piece Set**  
Kit includes:  
3", 6", 10" &  
18" bars

PN: GXWEBS38  
**\$59**

**1/2" Wobble Extension Bar  
4 Piece Set**  
Kit includes:  
3", 5", 10" &  
18" bars

PN: GXWEBS12  
**\$69**

## 5 PIECE ADAPTER SETS



PN: GX5AS  
**\$23**

**5 Piece Std Adapter Set**  
Chrome Vanadium

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male



PN: GXIA5  
**\$35**

**5 Piece IMPACT Adapter Set**  
Chrome Molybdenum

1/4" Female to 3/8" Male  
1/2" Female to 3/8" Male  
3/8" Female to 1/4" Male  
1/2" Female to 3/4" Male  
3/8" Female to 1/2" Male

## Socket & Extension Bar Sets

### 1/2" Sockets & Torque Extension Bar Set

- Teflon sleeved
- Chrome Molybdenum

Narrow Wall Impact Sockets  
sizes: 17, 19, 21 mm & 3/16"

Torque Bars sizes:  
65, 80, 100 & 120 Ft/Lbs

PN: GPA1596  
**\$129**



### 1/2" Drive 3 Piece Narrow Wall Impact Socket Set

- Chrome Molybdenum
- Teflon sleeved

Sizes: 17, 19 & 21 mm

### 1/2" Star Bit Impact Socket Set

- AlSi 8660 chromium  
molybdenum

8 Piece set includes:  
T25, T27, T30, T40, T45,  
T50, T55 & T60 bits  
Socket Length: 60 mm



PN: GPA1594  
**\$46**

PN: GX12TX8  
**\$89**



**NEW!**



## Quick-Lock Backing Pads

Attach abrasive pads to tool. Includes 1/4" shank adapter.

**50 MM Quick-Lock Backing Pad**

PN: GPA1523K  
**\$16**

**75 MM Quick-Lock Backing Pad**

PN: GPA1524K  
**\$20**



## Quick-lock Abrasive Pads (Packs of 10)



**Blue 50 MM Fine**

PN: GPA1527X10

**Maroon 50 MM Medium**

PN: GPA1528X10

**Brown 50 MM Coarse**

PN: GPA1526X10

**\$28 EA**

**Blue 75 MM Fine**

PN: GPA1530X10

**Maroon 75 MM Medium**

PN: GPA1531X10

**Brown 75 MM Coarse**

PN: GPA1529X10

**\$49 EA**

## Quick-Lock Zirconia Sanding Discs



**50 MM Quick-Lock Zirconia Sanding Discs (Packs of 5)**

**36 Grit PN: AB22012S36**

**60 Grit PN: AB22012S60**

**80 Grit PN: AB22012S80**

**120 Grit PN: AB22012S120**

**\$12 EA**

**75 MM Quick-Lock Zirconia Sanding Discs (Packs of 5)**

**36 Grit PN: AB22013S36**

**60 Grit PN: AB22013S60**

**80 Grit PN: AB22013S80**

**120 Grit PN: AB22013S120**

**\$19 EA**

## Quick-Lock Zirconia Mini Flap Discs



**50 MM Quick-Lock Zirconia Mini Flap Discs (Packs of 5)**

**40 Grit PN: AB22012F40**

**60 Grit PN: AB22012F60**

**80 Grit PN: AB22012F80**

**120 Grit PN: AB22012F120**

**\$23 EA**

**75 MM Quick-Lock Zirconia Mini Flap Discs (Packs of 5)**

**40 Grit PN: AB22013F40**

**60 Grit PN: AB22013F60**

**80 Grit PN: AB22013F80**

**120 Grit PN: AB22013F120**

**\$34 EA**

## 2" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each:

1/4" shank, 2" backing pad, 24 grit 2" disc, 36 grit 2" disc, 50 grit 2" disc, Brown (Coarse) surface prep 2" disc & Maroon (Medium) surface prep 2" disc.

**Abrasive & Sanding Pads made in USA.**

PN: GPK2  
**\$29**



## 3" Quick-Lock Preparation Kit

7 Piece kit includes 1 of each: 1/4" shank, 3" backing pad, 24 grit 3" disc, 36 grit 3" disc, 50 grit 3" disc, Brown (Coarse) surface prep 3" disc & Maroon (Medium) surface prep 3" disc.

**Abrasive & Sanding Pads made in USA.**

PN: GPK3  
**\$39**



## Quick-Lock Stripping Discs

**50 MM Quick-Lock Stripping Discs (Packs of 2)**

PN: ABCH902  
**\$15**



**75 MM Quick-Lock Stripping Discs (Packs of 2)**

PN: ABCH903  
**\$22**



## Quick-Lock Polishing Pads

**50 MM Quick-Lock Felt Polishing Pad**

PN: GPA1525  
**\$8.50**



**75 MM Quick-Lock Felt Polishing Pad**

PN: GPA1575  
**\$13**



## Velcro Backing Pads



**1/4" Shank 50 MM Velcro Backing Pad**  
Shank Size: 1/4"

PN: GPA50  
**\$28**



**75 MM Velcro Backing Pad**  
Shank Size: 1/4"

PN: GPA75  
**\$36**

## Velcro Polishing Pads



**60 MM Polishing Pad**  
Suits 50 MM Velcro Backing Pad

PN: OWB-60  
**\$12**



**80 MM Polishing Pad**  
Suits 75 MM Velcro Backing Pad

PN: 119-102  
**\$22**

## Velcro Polishing Pads & Mops

**1/4" Shank Tapered Spindle**

For use with 50 MM Calico Polishing Mops (PN: PMC50).

PN: TS12  
**\$39**



**50 MM Calico Polish Mop**

For use with 1/4" Taper Spindle (PN: TS12). Width: 20 MM

PN: PMC50  
**\$28**



## 8 Piece Flap Wheel Kit

Kit includes:

25 MM x 12 MM, 120 Grit, x 1  
25 MM x 25 MM, 40 Grit, x 1  
25 MM x 25 MM, 80 Grit, x 1  
40 MM x 25 MM, 60 Grit, x 1

40 MM x 25 MM, 80 Grit, x 1  
50 MM x 25 MM, 80 Grit, x 1  
50 MM x 25 MM, 60 Grit, x 2

PN: GFWK  
**\$49**







## BACKING PADS

**150 MM Velcro Inter. Threaded Pad**  
 • Medium Pad Density  
 Pad Thickness: 12 MM  
 M14 x 2 Int. Thread  
 Max Speed: 10,200 RPM

PN: FP36155  
**\$49**



**180 MM Velcro Inter. Threaded Pad**  
 • Medium Pad Density  
 Pad Thickness: 12 MM  
 M14 x 2 Int. Thread  
 Max Speed: 8,500 RPM

PN: FP36170  
**\$49**



**100 MM Nylon Inter. Threaded Pad**  
 • Includes Lock Nut  
 M10 x 1.5 Int. Thread  
 Pad Thickness: 15 MM

PN: FP20020  
**\$19**



**125 MM Nylon Pad**  
 • Includes Lock Nut  
 M14 x 2 Int. Thread  
 Pad Thickness: 15 MM

PN: FP20210  
**\$21**



**178 MM Nylon Inter. Threaded Pad**  
 • Includes Lock Nut  
 M14 Internal Thread  
 Max Speed: 8,600 RPM

PN: FP20310  
**\$25**



**178 MM Nylon Inter. Threaded Pad**  
 • Includes Lock nut  
 M14 Internal Thread  
 Max Speed: 8,600 RPM

PN: FP20410  
**\$42**



**6" Dust Free Velcro Multi-Fit Pad**  
 Thread Size: M8 & 5/16" UNF  
 Pad Thickness: 14 MM  
 Max Speed: 12,000 RPM

**Suits Festool & Makita Sanders!**

PN: FP17099  
**\$59**



**125 MM Velcro Internally Threaded Pad**  
 • Soft Pad Density  
 Pad Thickness: 12 MM  
 M14 x 2 Int. Thread  
 Max Speed: 10,200 RPM

PN: FP36305  
**\$37**



## Turbo Rubber Backing Pads

**5" Turbo Rubber Backing Pads**  
 Lock Nut included.  
 Pad Thickness: 18 MM  
 Max Speed: 10,000 RPM

**\$25 EA**

M14 Internal Thread PN: GTP162214

5/8" UNC Internal Thread PN: GTP162258

**7" Turbo Rubber Backing Pads**  
 Lock Nut included.  
 Pad Thickness: 18 MM  
 Max Speed: 8,500 RPM

**\$49 EA**

M14 Internal Thread PN: GTP1737

5/8" UNC Internal Thread PN: GTP1736



## Sheep Skin Polishing Bonnets

100% Merino sheep skin wool pile with tie cord.

Max. speed: 2,500 RPM  
 Thickness: 32 MM

5" (125 MM) Merino Wool Sheep Skin Polishing Bonnet.

PN: FP40005  
**\$26**

7" (180 MM) Merino Wool Sheep Skin Polishing Bonnet.

PN: FP40015  
**\$32**

9" (225 MM) Merino Wool Sheep Skin Polishing Bonnet.

PN: FP40025  
**\$39**

**NEW!**



## 10 MM RECOIL HOSE



**2 Metre Recoil Hose**  
 PN: GPH1003LBHL  
**\$45**

**6 Metre Recoil Hose**  
 PN: GPH1008LBHL  
**\$55**

**5 Metre Recoil Hose**  
 PN: GPH1006LBHL  
**\$49**

**8 Metre Recoil Hose**  
 PN: GPH1010LBHL  
**\$59**

6.5 MM ID/10 MM OD  
 c/w Japanese compatible  
 One Touch couplings.

## 12 MM RECOIL HOSE



**5 Metre Recoil Hose**  
 PN: GPH1206LBHL  
**\$55**

**8 Metre Recoil Hose**  
 PN: GPH1210LBHL  
**\$69**

**6 Metre Recoil Hose**  
 PN: GPH1208LBHL  
**\$59**

**10 Metre Recoil Hose**  
 PN: GPH1212LBHL  
**\$79**

8 MM ID/12 MM OD  
 c/w Japanese compatible  
 One Touch couplings.

## Manual Hose Reel

Hose Size:  
 20 Metre x 11 MM ID

- High quality Polyurethane braided hose
- Space Saving Foldable Handle
- 360 degree swivel base
- Includes wall hanging bracket.



PN: GPHR1220  
**\$229**

## 3/8" Auto-retract Hose Reel

- Hose Size: 12 Metre x 9.5 MM ID
- Brass swivel points
- Polyurethane braided hose
- Sheet metal housing
- Wall Mountable



PN: GPHR1012  
**\$229**

## HEAVY DUTY TROLLEY

**Max Load 150 Kg!**

Size: 410W x 760D x 885H mm

- Form inlays for each tray
- 1.6 MM steel uprights
- Two lockable casters



**HOT PRICE!**

PN: GT3S  
**\$199**

## PNEUMATIC CONTROL UNITS & COMPONENTS

### 1/4" Mini Filter Regulator

Max Input Press.: 280 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 38.85 CFM  
Drain Capacity: 15 mL  
Filter Element: 5 µm



PN: THBFR212  
**\$59**

### Filter Regulators

Max Input Press.: 215 PSI  
Output Press.: 7-150 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Drain Capacity: 80 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFR802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFR803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFR804



**\$57 EA**

### 3/4" Hi-Flow Filter Regulator

Max Input Press.: 250 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 162.45 CFM  
Drain Capacity: 300 mL

PN: THBFR926A  
**\$229**

### 1" Hi-Flow Filter Regulator

Max Input Press.: 250 PSI  
Output Press.: 7-142 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Max Flow: 183.64 CFM  
Drain Capacity: 300 mL

PN: THBFR928A  
**\$229**

### 1/2" Auto Drain Filter

Port Size: 1/2" NPT  
Max Input Press.: 225 PSI  
Drain Capacity: 27 mL

PN: THBD704A  
**\$70**



**AUTO-DRAIN FUNCTION**

### Filter Regulator Lubricators

Max Input Press.: 215 PSI  
Output Press.: 7-150 PSI  
Measuring Units: PSI, kg/cm<sup>2</sup>  
Oil Capacity: 125 mL  
Filter Element: 5 µm

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBFLR802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBFLR803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBFLR804



**\$89 EA**

### Lubricators

Max Input Press.: 215 PSI  
Oil Capacity: 125 mL

Port Size: 1/4" NPT  
Max Flow: 61.8 CFM

PN: THBL802

Port Size: 3/8" NPT  
Max Flow: 88.29 CFM

PN: THBL803

Port Size: 1/2" NPT  
Max Flow: 105.94 CFM

PN: THBL804



**\$55 EA**

## IN-LINE COMPONENTS & MANIFOLDS

### 1/4" In-line Water Separator

Max Press.: 90 PSI  
1/4" NPT Female to Male

PN: GPA1512  
**\$25**



### 1/4" In-line Lubricator

1/4" NPT Female to Male  
Capacity: 15 mL

PN: GPA1025  
**\$22**



### 2 Way Cluster Quick Coupler

PN: GPA1513  
**\$25**

### 3 Way Cluster Quick Coupler

PN: GPA1514  
**\$29**



### 2 Way In-line Quick Coupler

PN: GPA1515  
**\$25**

### 3 Way In-line Quick Coupler

PN: GPA1516  
**\$29**

### 4 Way In-line Quick Coupler

PN: GPA1517  
**\$33**



## Premium Air Tool

• Add only a couple of drops daily to prolong the performance of any air operated tool

• Formulated to greatly reduce internal wear and maintain the integrity of the gaskets and seals

Premium Air Tool  
250 ML

PN: SI250  
**\$9.50**



Premium Air Tool  
1 Litre

PN: SI1000  
**\$17**



Premium Air Tool  
5 Litre

PN: SI5000  
**\$69**



## Compressor Oil

Geiger Premium Compressor Oil is blended from highly refined thermally stable base oils and specially formulated additives which gives superior protection against oxidation, wear and corrosion. These additives also provide excellent water and air separation, to ensure reliable operation with minimal foaming and emulsification.

PN: COMPOIL1  
**\$22**






**Made in Europe.**

For over 50 years Morrisflex has provided optimum solutions for aerospace, automotive, shipbuilding, metal fabrication & welding sectors worldwide. Morrisflex has been committed to providing our customers with high performance products that maximise productivity and reduce costs. Morris Flex is accredited to ISO9001: 2008 and is equipped with the latest CNC technology delivering product of unrivaled quality and consistency.

### 1/4" Shank Double-Cut Carbide Burrs

Standard & Non-ferrous 1/4" Shank Carbide Burrs are available in three head diameters.



**Non-ferrous & Stainless Carbide Burrs also available.**

#### Oval Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSE1   | \$29.00 |
| 3         | 2 3/8"         | CBSE3   | \$42.00 |
| 3         | 6 5/8"         | CBSE3L6 | \$69.00 |
| 5         | 2 5/8"         | CBSE5   | \$58.00 |

#### Ball Nosed Tree Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSE1   | \$29.00 |
| 3         | 2 1/2"         | CBSE3   | \$42.00 |
| 3         | 6 3/4"         | CBSE3L6 | \$69.00 |
| 5         | 2 3/4"         | CBSE5   | \$58.00 |

#### Pointed Tree Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSE1   | \$29.00 |
| 3         | 2 1/2"         | CBSE3   | \$42.00 |
| 3         | 6 3/4"         | CBSE3L6 | \$69.00 |
| 5         | 2 3/4"         | CBSE5   | \$58.00 |

### Carbide Burr Sets

**1/8" Head Carbide Burr 10 Piece Set**

Shank Dia: 1/8"



PN: CBSET10  
**\$139**

**3/8" Head Carbide Burr 3 Piece Set**

Shank Dia: 1/4"



PN: CBSET3  
**\$110**

**1/4" & 3/8" Head Burr 8 Piece Set**

Shank Dia: 1/4"



PN: CBSET8  
**\$229**

**1/2" Head Carbide Burr 5 Piece Set**

Shank Dia: 1/4"



PN: CBSET5  
**\$255**

**3/8" Head Non-ferrous Burr 3 Piece Set**

Shank Dia: 1/4"



PN: CBSET3NF  
**\$135**

**3/8" Head Stainless Burr 3 Piece Set**

Shank Dia: 1/4"



PN: CBSET3INOX  
**\$139**

#### Cylinder Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSA1   | \$29.00 |
| 3         | 2 1/2"         | CBSA3   | \$42.00 |
| 3         | 6 3/4"         | CBSA3L6 | \$69.00 |
| 5         | 2 3/4"         | CBSA5   | \$58.00 |

#### Cylinder Shape with End Cut

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSB1   | \$29.00 |
| 3         | 2 1/2"         | CBSB3   | \$42.00 |
| 3         | 6"             | CBSB3L6 | \$69.00 |
| 5         | 2 3/4"         | CBSB5   | \$58.00 |

#### Radius Ended Cylinder Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSC1   | \$29.00 |
| 3         | 2 1/2"         | CBSC3   | \$42.00 |
| 3         | 6"             | CBSC3L6 | \$69.00 |
| 5         | 2 3/4"         | CBSC5   | \$58.00 |

#### Ball Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSD1   | \$29.00 |
| 3         | 2 1/8"         | CBSD3   | \$42.00 |
| 3         | 6"             | CBSD3L6 | \$69.00 |
| 5         | 2 1/4"         | CBSD5   | \$58.00 |

#### Flame Shape

| Head Size | Overall Length | PN    | Price   |
|-----------|----------------|-------|---------|
| 1         | 2 3/4"         | CBSH1 | \$29.00 |
| 3         | 2 1/2"         | CBSH3 | \$42.00 |
| 5         | 3"             | CBSH5 | \$58.00 |

#### Ball Nosed Cone Shape

| Head Size | Overall Length | PN      | Price   |
|-----------|----------------|---------|---------|
| 1         | 2"             | CBSL1   | \$29.00 |
| 3         | 3"             | CBSL3   | \$42.00 |
| 3         | 6"             | CBSL3L6 | \$69.00 |
| 5         | 3"             | CBSL4   | \$58.00 |

#### Cone Shape

| Head Size | Overall Length | PN    | Price   |
|-----------|----------------|-------|---------|
| 1         | 1 7/8"         | CBSM1 | \$29.00 |
| 3         | 2 1/2"         | CBSM4 | \$42.00 |
| 5         | 2 3/4"         | CBSM5 | \$58.00 |

#### Inverted Cone Shape

| Head Size | Overall Length | PN    | Price   |
|-----------|----------------|-------|---------|
| 1         | 2"             | CBSN1 | \$29.00 |
| 3         | 2 1/8"         | CBSN3 | \$42.00 |
| 5         | 2 1/4"         | CBSN5 | \$58.00 |

#### 60° Countersink Shape

| Head Size | Overall Length | PN    | Price   |
|-----------|----------------|-------|---------|
| 1         | 2"             | CBSJ1 | \$29.00 |
| 3         | 2 1/4"         | CBSJ3 | \$42.00 |
| 5         | 2 3/8"         | CBSJ5 | \$58.00 |

#### 90° Countersink Shape

| Head Size | Overall Length | PN   | Price   |
|-----------|----------------|------|---------|
| 1         | 2"             | CBK1 | \$29.00 |
| 3         | 2 1/8"         | CBK3 | \$42.00 |
| 5         | 2 1/8"         | CBK5 | \$58.00 |

## Heavy Duty Parts Cabinets



### A7

**Model - A7448 \$399.00**

48 Drawer A7 Parts Cabinet  
586W MM x 222D MM x 937H MM

**Model - A7324 \$289.00**

24 Drawer A7 Parts Cabinet  
444W MM x 222D MM x 642H MM

### A8

**Model - A8560 \$469.00**

60 Drawer A8 Parts Cabinet  
586W MM x 222D MM x 937H MM

**Model - A8432 \$299.00**

32 Drawer A8 Parts Cabinet  
466W MM x 222D MM x 642H MM

## Jumbo Storage Bins

The Geiger Jumbo Storage Bin can be stacked vertically with or without its removable lid. The removable lid incorporates a hinged front cover which protects its contents from dust or other environmental factors.

Bin size: 395W mm x 635D mm x 335H mm

- Made from impact resistant polypropylene.
- The 50 litre bin takes up to 30 kg.
- Includes bin and removable lid.

PN: HB4068B  
**\$59**



## MOBILE HD PARTS CABINETS

The drawers on the NHD530 feature transparent windows for easy parts identification and are designed to be fully opened and not fall out, even at the 10 kg maximum weight limit. Each drawer comes with 2 movable dividers and is acid and oil resistant.

**Model - NHD530 \$869.00**

30 Drawer Parts Cabinet  
980W MM x 400D MM x 1010H MM  
(Including handle and caster wheels)



## Mobile Sorting Carts

Keep all your spare parts easily accessible and in plain sight with Geiger Pivot drawers, featuring a sturdy pivoting mechanism and transparent windows.

**Model - MSFO4568**

Mobile Tip Out Sorting Cart  
C/W 2 x FO308, 2 x FO306,  
2 x FO605 and 2 x FO604  
600W MM x 1200H MM

**\$589.00**

**Model - MSFO4568X2**

DOUBLE SIDED  
Mobile Tip Out Sorting Cart  
C/W 4 x FO308, 4 x FO306,  
4 x FO605 and 4 x FO604  
600W MM x 1200H MM

**\$889.00**



## HB Series Heavy Duty Multi-Function Storage Bins

New HB Series Heavy Duty Storage Bins are a versatile solution that adapts to your changing storage requirements. HB bins can be used as free standing bench storage, wall mounted storage units or on a mobile storage cart. The new design can take very high load when stacked (100 plus kilograms). Each HB bin includes 4 Legs which enables them to be stacked.



**HB Small Short Bin**

105W MM x 137D MM x 76H MM

PN: HB210B ● **\$3.95 EA**  
PN: HB210R ●

**HB Small Bin**

105W MM x 187D MM x 76H MM

PN: HB220B ● **\$4.35 EA**  
PN: HB220R ●

**HB Medium Bin**

140W MM x 276D MM x 127H MM

PN: HB230B ● **\$9 EA**  
PN: HB230R ●

**HB Medium Duplex Bin**

Includes Clap Board  
279W MM x 276D MM x 127H MM

PN: HB235B ● **\$13 EA**  
PN: HB235R ●

**HB Large Short Bin**

210W MM x 273D MM x 178H MM

PN: HB239B ● **\$14 EA**  
PN: HB239R ●

**HB Large Duplex Bin**

Includes Clap Board  
420W MM x 375D MM x 178H MM

PN: HB250B ● **\$23 EA**  
PN: HB250R ●





# GTB43 SERIES

Tool Chests & Roller Cabinets

## 8 Drawer Tool Chest

PN: GTB43T

- Twin gas strut top lid
- Self locking drawers secure contents while cabinet is in transit
- All drawers feature drawer liners
- One key locks all drawers & lid
- Stainless steel side handles
- Side panels allow for a highly customisable array of hooks for extra storage of commonly used large tools (sold separately).
- Gloss Black finish

**Overall Dimensions:** 1160W x 460D x 460H mm (Inc. handles)

**Top Tray:** 955W x 385D x 80H mm

**4 x Left side drawers:**  
555W x 400D x 70H mm

**4 x Right side drawers:**  
285W x 400D x 70H mm

**Weight:** 56 Kg

## 12 Drawer Base Cabinet

PN: GTB43B

- Self locking drawers secure contents while cabinet is in transit
- All drawers feature drawer liners
- Features a work bench with removable rubber mat.
- One lock for all drawers
- Stainless steel side handle
- Twin push-lock casters
- Wall bumpers on all 4 corners
- Double runner bottom drawers
- Side panels allow for a highly customisable array of hooks for extra storage of commonly used or large tools (sold separately).
- Versatile full width top drawer to suit a wide range of differently shaped or large tools
- Gloss Black finish

**Overall Dimensions:** 1200W x 460D x 1040H mm (Inc. handle)

**Full width drawer:** 920W x 400D x 125H mm

**5 x Left side drawers:**  
555W x 400D x 70H mm

**4 x Right side drawers:**  
285W x 400D x 70H mm

**1 x Left side bottom drawer:**  
555W x 400D x 150H mm

**1 x Right side bottom drawer:**  
285W x 400D x 230H mm

**Weight:** 94 Kg



PN: GTB43T  
**\$725**



PN: GTB43B  
**\$969**

## 20 Drawer Tool Chest & Roller Cabinet Kit

PN: GTB43BTK

PN: GTB43BTK  
**\$1,645**

Side panel hooks sold separately.

## THE BONE™ CREEPERS & STOOLS

The Bone™ and Bonester™ feature a uniquely shaped body which cradles the user between the wheels only an inch or so above the ground. The big, easy rolling wheels are positioned outboard to provide a strong, stable working platform that can't tip or flip the user. The large diameter wheels roll easily over all sorts of obstacles such as cords and air lines.

**One Year  
FACTORY  
WARRANTY**

### ROUGH RIDER

Mechanics Creeper  
1194L x 648W x 191H mm  
Wheels: Ø130 mm x 33 mm  
Rough Rider Tyres  
73 mm Ground Clearance  
Weight: 9.1 Kg

**180 KG  
CAPACITY**



PN: BONE7031  
**\$399**

### Rough Rider Mechanics Stool

Huge 130 mm Rough Rider Tyres  
44 mm Ground Clearance  
330 mm Seat Height  
740L x 800W mm  
Weight: 7.5 Kg

**180 KG  
CAPACITY**

### Easy Rider Mechanics Stool

Huge 130 mm Easy Rider Tyres  
20 mm Ground Clearance  
300 mm Seat Height  
740L x 800W mm  
Weight: 7 Kg

**160 KG  
CAPACITY**

PN: BONE5031  
**\$299**

### THE TAIL BONE



Made in the  
U.S.A.

### THE BONESTER SUPER LOW PROFILE

Mechanics Creeper  
1092L x 594W x 114H mm  
Wheels: Ø75 mm x 22 mm  
Load Capacity: 180 Kg  
Easy Rider Tyres  
38 mm Ground Clearance  
Weight: 6 Kg

**180 KG  
CAPACITY**



PN: BONE4031  
**\$239**

### THE BONE LOW PROFILE

Mechanics Creeper  
1194L x 648W x 160H mm  
Wheels: Ø130 mm x 25 mm  
Load Capacity: 180 Kg  
Wide Easy Rider Tyres  
45 mm Ground Clearance  
Weight: 8 Kg

**140 KG  
CAPACITY**



PN: BONE6031  
**\$349**

# Hand Tools



## Automotive & Hardware Assortment Kits

### Automotive Electrical Kits

|                                                         |           |             |
|---------------------------------------------------------|-----------|-------------|
| Spade, Flag, Butt & Bullet Connectors (110 piece kit)   | PN: AAK21 | <b>\$38</b> |
| Pre-Insulated Electrical Terminals (125 piece kit)      | PN: AAK22 | <b>\$36</b> |
| Open End & Pin Electrical Terminals (105 piece kit)     | PN: AAK23 | <b>\$36</b> |
| Maxi Plug-in Blade Fuses (50 piece kit)                 | PN: AAK24 | <b>\$26</b> |
| Mini Plug-in Blade & Ceramic Fuses (70 piece kit)       | PN: AAK27 | <b>\$34</b> |
| Automotive Glass Tube & Maxi-Blade Fuses (70 piece kit) | PN: AAK28 | <b>\$31</b> |

### Automotive Nut, Bolt & Stud Kits

|                                                    |           |             |
|----------------------------------------------------|-----------|-------------|
| Japanese Automotive Nuts (140 piece kit)           | PN: AAK06 | <b>\$23</b> |
| Self Locking Nuts (100 piece kit)                  | PN: AAK10 | <b>\$23</b> |
| Exhaust Manifold Studs & Nuts (80 piece kit)       | PN: AAK11 | <b>\$56</b> |
| Prop-shaft Bolts (Grade 10.9) (40 piece kit)       | PN: AAK25 | <b>\$31</b> |
| Durlock Flange Bolts & Flange Nuts (100 piece kit) | PN: AAK26 | <b>\$26</b> |

### Automotive Clip & Split Pin Kits

|                                               |           |             |
|-----------------------------------------------|-----------|-------------|
| Speed Clips & Nuts (90 piece kit)             | PN: AAK05 | <b>\$33</b> |
| DIN 94 Split Pins - Small Kit (300 piece kit) | PN: AAK08 | <b>\$23</b> |
| DIN 94 Split Pins - Large Kit (500 piece kit) | PN: AAK09 | <b>\$35</b> |
| DIN 6799 Black Oxide E Clips (300 piece kit)  | PN: AAK20 | <b>\$26</b> |
| Internal Circlips (120 piece kit)             | PN: AAK29 | <b>\$31</b> |
| External Circlips (120 piece kit)             | PN: AAK30 | <b>\$31</b> |

### Automotive Washer Kits

|                                                           |           |             |
|-----------------------------------------------------------|-----------|-------------|
| DIN 7604A Soft Annealed Copper Washers (130 piece kit)    | PN: AAK12 | <b>\$37</b> |
| Fibre Washers (250 piece kit)                             | PN: AAK13 | <b>\$37</b> |
| DIN 6798 Internal & External Star Washers (300 piece kit) | PN: AAK14 | <b>\$21</b> |

### Automotive O-Ring Kits

|                                                          |           |             |
|----------------------------------------------------------|-----------|-------------|
| Nitrile 70 Duro Shore A Imperial O-rings (225 piece kit) | PN: AAK31 | <b>\$29</b> |
| NBR-70 Standard Metric O-rings (386 piece kit)           | PN: AAK32 | <b>\$45</b> |

### Automotive Grease Nipple Kits

|                                            |           |             |
|--------------------------------------------|-----------|-------------|
| Grease Nipples - Small Kit (50 piece kit)  | PN: AAK15 | <b>\$39</b> |
| Grease Nipples - Large Kit (100 piece kit) | PN: AAK16 | <b>\$64</b> |

### Automotive Bolt & Screw Kits

|                                                        |           |             |
|--------------------------------------------------------|-----------|-------------|
| Japanese Sems Fine Hex Bolts (140 piece kit)           | PN: AAK01 | <b>\$32</b> |
| Japanese Sems Hex Bolts (50 piece kit)                 | PN: AAK02 | <b>\$28</b> |
| Japanese Sems Hex Fender Screws (130 piece kit)        | PN: AAK03 | <b>\$29</b> |
| Mushroom Pozidrive Self Tapping Screws (200 piece kit) | PN: AAK04 | <b>\$23</b> |
| Pan Compi (Sems) Machine Screws (180 piece kit)        | PN: AAK07 | <b>\$25</b> |
| DIN 912 Socket Head Cap Screws (120 piece kit)         | PN: AAK17 | <b>\$23</b> |
| DIN 916 Socket Head Grub Screws (300 piece kit)        | PN: AAK18 | <b>\$29</b> |
| DIN 7991 C'sunk Socket Head Screws (160 piece kit)     | PN: AAK19 | <b>\$23</b> |

Find more assorted kit online at: [gamer.com.au/torres-assorted-kits](http://gamer.com.au/torres-assorted-kits)



## HAND TOOLS

### Metric 9 Piece Ball Point Hex Key Wrench Set

Sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm

PN: GXHK9M  
**\$35**

### Imperial (SAE) 13 Piece Ball Point Hex Key Wrench Set

Sizes: 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", & 3/8"

PN: GXHK13I  
**\$35**

### Tamper-proof 13 Piece Star Key Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

PN: GXTP13  
**\$39**

### Non Tamper-proof 13 Piece Star Key Wrench Set

Sizes: T6H, T7H, T8H, T9H, T10H, T15H, T20H, T25H, T27H, T30H, T40H, T45H, T50H

PN: GXTX13  
**\$39**



### Jumbo Metric 13 Piece Ball Point Hex Key Set

PN: GXHK19M

Set includes: 2, 2.5, 3, 4, 5, 6, 7, 8, 10, 12, 14, 17, 19 mm Keys

### Jumbo Imperial 13 Piece Ball Point Hex Key Set

PN: GXHK34I

Set includes: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4" Keys



**\$99 EA**

### 14 Piece Gasket Punch Set

Sizes 1/4, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4, 1 3/8, 1 1/2"



PN: GGPS  
**\$69**

### 3 Piece T-Handle Spinner Set

Chrome Vanadium Steel  
1/4", 3/8" & 1/2" Drive



PN: GXTH3  
**\$79**

### 4 Piece Hook & Pick Set

Includes 1 x straight, 1 x 90°, 1 x Offset & 1 x Hook



PN: GXHP4  
**\$29**



## 2.6 mm Mini Quick Release Handle



PN: GDMC1  
**\$14**

- Handle only 100 mm long
- Holds all 2.6 mm Ø Deburring Blades.

## Hex Handle Deburring Tool



Set of 5.  
PN: GD86060  
**\$56**

Set of 5, 3/8" Hex Handle Deburring Tools A/F Hex. Aluminium body handle with replaceable GDSC10 blades.

## Hex Handle Pocket Deburrer



Set of 10.  
PN: GD86110  
**\$56**

Set of 10 Hex Handle Pocket Deburrers. 8 mm Hex Aluminium body handle with Pocket clip & C-10 blade. Blade cannot be replaced.

## Ergonomic Deburring Tool & Blade Set

Quick Release Handle with 10 assorted 3.2 mm blades. Blades can be stored inside the Quick Release Handle.

Set Includes:

**3.2 mm Standard Quick Release Handle** (GDSDSDMK)

**Standard 3.2 mm Deburring blades:**

- 2 x GDSC10,
- 2 x GDSC101,
- 2 x GDSC15,
- 2 x GDSC20,
- 1 x GDSC30,
- 1 x GDSC35



PN: GD88040  
**\$36**

## Double Deburrer

Deburs both sides of workpiece at same time. Double Deburrer features underneath safety guard.

**Set of replacement Double Deburrer blades**



PN: GN80  
**\$12**



PN: GDDB  
**\$22**

## Telescopic Multifunction Deburring Tool

Multi-Component Handle (GDSTSDMK) & blade holder

**Standard Deburring blades:**

- GDSC10, GDSC15, GDSC20,
- GDSC30, GDSC35



PN: GD38325  
**\$38**

## Deburring Tool with 3 MC 3.2 mm blade

3.2 mm Standard Quick Release Handle (GDSDSDMK) with

**Multi-cutting Edge**

**Deburring blades:**

- GDSMC10, GDSMC20,
- GDSMC101

Blades can be stored inside the Quick Release Handle.



PN: GD38333  
**\$29**

## 6 mm Heavy Duty Quick Release Deburrer



PN: GDSRSDMK  
**\$30**

6 mm Heavy Duty Quick Release Handle (GDSRSDMK) with 6 mm General Purpose Blade (GDSR10S).

## 24 Piece Deburring Set

Set of Multi-Component and Quick Release Handles including a comprehensive range of accessories.

PN: GD88030  
**\$220**



Set includes:

**3 Multi-Component Handles** (GDSTSDMK)

**Heavy Duty 6 mm Quick Release Handle** (GDSRSDMK),

**Micro Deburring blades:** GDSP1, GDSP2, GDSP3

**Standard Deburring blades:** GDSC10, GDSC101, GDSC15, GDSC20, GDSC30, GDSC35

**Heavy Duty Deburring blades:** GDSR10S, GDSR15S

**Telescopic Blade Holders** GDSDTP, GDSDTC, GDSVT, GDSCSLONG, GDSKW

**Deburring Blades & Scrapers** GDSV4, GDSKW9, GDSKW16, GDSCSLONG, GDSSCR6, GDSV2, GDSC1


2 blade holders  
2 mm Hex Key

## Performance

Suprabeam torches incorporate the latest high performance LED Power-chips available, delivering constant maximum output when it's needed. Our specially designed Thermal Management systems ensure, efficient power consumption and long life operation.



2 stage Touch Function switch allows the user to step through light modes before activating.



Hyperfocus™ lens ring enables the user to focus the beam from 6-60°.

## Efficiency

Our patented Hyperfocus™ Lens/Reflector technology provides the user with greater control and visible light output, compared to other systems. This technology ensures all our torches produce the highest light output by utilizing a high efficiency aluminium reflector and Hyperfocus™ lens system.



All components are manufactured and tested to the highest standards, which is backed by a 5 year full product warranty. Suprabeam warrants its products to be free from defects in materials and workmanship. Any product or part which is found to be defective under normal use will be repaired or replaced.

### Powerful Pen Torch

**90 Lumens**

**MOST POWERFUL SINGLE AAA TORCH AVAILABLE!**



PN: SBQ1prime  
**\$35**

Beam: Fixed Hyperfocus™  
Switch: Swivel Switch Head  
Brightness Modes: 90 Lumens  
Battery Life: 50 Minutes  
Power Source: 1 x AAA Battery  
Weight (incl. battery): 30g  
Dimensions: L: 75.8mm, : 14.6mm

### Powerful Pen Torch

**160 Lumens**



PN: SBQ1  
**\$69**

Beam: Rotating Hyperfocus™  
Switch: All metal Touch Function button  
Brightness Modes: **High** 160 Lumens  
**Low** 20 Lumens  
Battery Life: 10 hours  
Power Source: 2 x AAA Batteries  
Weight (incl. battery): 56 g  
Dimensions: L: 141.5 mm, Ø: 15 mm

### Versatile & Light Weight

**170 Lumens**



PN: SBQ2  
**\$79**

Beam: Sliding Hyperfocus™ Lens  
Switch: All metal Touch Function button  
Brightness Modes: **High** 170 Lumens  
**Low** 30 Lumens  
Battery Life: 5 hours  
Power Source: 1 x AA Alkaline  
Weight (incl. battery): 80 g  
Dimensions: L: 116 mm, Ø: 26 mm

### Lightweight Headlight

**250 Lumens**



PN: SBV3air  
**\$79**

Beam: Sliding Hyperfocus™  
Switch: Memory Touch Function Button  
Brightness Modes: **BOOST** 250 Lumen  
**Dimmer** 5-150 Lumen **SOS** 200 Lumen  
Battery Life: 100 hours  
Power Source: 3 x AAA batteries  
Weight (incl. battery): 140 g  
Headband: Fits to 50-70 cm

### Lightweight Rechargeable

**320 Lumens**



PN: SBV3airR  
**\$139**

Beam: Sliding Hyperfocus™  
Switch: Memory Touch Function Button  
Brightness Modes: **BOOST** 320 Lumen  
**Dimmer** 5-250 Lumen **SOS** 200 Lumen  
Battery Life: 100 hours  
Power Source: 1 x 1400 mAh Li-ion Polymer (10.36 Wh)  
Weight (incl. battery): 148 g  
Headband: Fits to 50-70 centimeters

### Compact & Powerful

**320 Lumens**



**FREE FLOOD LIGHT ATTACHMENT**  
PN: SBQ3  
**\$89**

Beam: Sliding Hyperfocus™ Lens  
Switch: Essential On/Off Button  
Brightness Modes: **ON** 320 Lumens  
Battery Life: 60 hours  
Power Source: 3 x AAA Batteries  
Weight (incl. battery): 99 g  
Dimensions: L: 115.3 mm, Ø: 26.5 mm

### Compact & Rechargeable

**400 Lumens**



**FREE FLOOD LIGHT ATTACHMENT**  
PN: SBQ3r  
**\$199**

Beam: Sliding Hyperfocus™ Lens  
Switch: All metal Touch Function button  
Brightness Modes: **BOOST** 400  
**High** 250 Lumen **Medium** 50 Lumen  
**Low** 15 Lumen **Strobe** 10 Hz/14 Lms  
Battery Life: 2 hrs (Boost) - 89 hrs (Low)  
Power Source: Li-ion 18650 (8.14 Wh) (spare battery included)  
Weight (incl. battery): 139 g  
Dimensions: L: 127.7 mm, Ø: 26.5 mm

More Powerful Headlamps available.

Visit: [www.gamer.com.au/suprabeam/headlamps](http://www.gamer.com.au/suprabeam/headlamps)

### Compact Tactical Torch

**10 Metres IP68 WATERPROOF**



PN: SBQ3defend  
**\$129**

Beam: Fixed Focus & Lens  
Switch: Essential On/Off Button  
Brightness Modes: **ON** 280 Lumens  
Battery Life: 2 hrs (Boost) - 20 hrs (Low)  
Power Source: 3 x AAA Alkaline  
Weight (incl. battery): 99 g  
Body: Black Anodized & urethane coating, High Strength Aluminium  
Dimensions: L: 124 mm, Ø: 27 mm  
Protection Rating: Waterproof up to 10m IP68

### Powerful Tactical Torch

**350 Lumens**



PN: SBQ7defend  
**\$169**

Beam: Sliding Hyperfocus™  
Switch: Touch Function Silicone Button  
Brightness Modes: **BOOST** 350 Lumen  
**High** 200 Lumen **Medium** 50 Lumen  
**Low** 15 Lumen **Strobe** 10 Hz/15 Lms  
Battery Life: 3 hrs (Boost) - 75 hours (Low)  
Power Source: 4 x AAA batteries  
Weight (incl. battery): 212 g  
Body: Black Anodized and urethane coating, High Strength Aluminium  
Dimensions: L: 139.3 mm, Ø: 39 mm  
Protection Rating: Splash Waterproof IPx4

### Versatile & Powerful

**800 Lumens**



PN: SBQ4XR  
**\$259**

Beam: Sliding Hyperfocus™  
Switch: All metal Touch Function button  
Brightness Modes: **BOOST** 800  
**High** 350 Lumen **Medium** 200 Lumen  
**Low** 50 Lumen **Strobe** 10 Hz/50 Lms  
Battery Life: 3 hrs (Boost) - 24 hrs (Low)  
Power Source: 1 x 18650 Li-ion (8.14 Wh) (spare battery included)  
Weight (incl. battery): 132 g  
Dimensions: L: 134 mm, Ø: 32 mm

### Powerful & Rechargeable

**1000 Lumens**



PN: SBQ7xr  
**\$299**

Beam: Sliding Hyperfocus™ Lens  
Switch: Touch Function Silicone Button  
Brightness Modes: **BOOST** 1000 Lumen  
**High**: 600 Lumen **Medium** 200 Lumen  
**Low** 50 Lumen **Strobe** 10 Hz/50 Lms  
Battery Life: 3 hrs (Boost) - 37 hrs (Low)  
Power Source: Li-ion 26650 (18.5 Wh) (spare battery included)  
Weight (incl. battery): 307 g  
Dimensions: L: 150 mm, Ø: 46 mm

Both the **SBQ4xr** & **SBQ7xr** torches come in a durable plastic case with a Professional Quality Pouch with Velcro & Press Stud Strap, 100-240 VAC Adaptor with USB cable & external ICR Charger.



# ENGINEERING EQUIPMENT

## MAGNETIC CLEANING TOOLS

### Magnetic Extended Pick-Up Wand



Length: 960 MM  
Head Dia: 95 MM  
Lifts up to 4.5 Kg

Quick-release lever to discard swarf.

**960 MM Long**

PN: MRE001  
**\$99**

### Magnetic Broom

Great for picking up small metal objects from workshop floors. The telescopic handle features a quick-release slide to discard swarf.

Lifts up to 9 Kg  
Width: 377 MM

PN: MB001  
**\$119**



### Magnetic Pick-Up Wand

Length: 170-900 MM  
Capacity: 4.50 Kg



PN: MTP001  
**\$14**

### Magnetic Clean-Up Wand

Capacity: 6.30 Kg  
Length 400 MM  
Weight 0.5 Kg



PN: MW001  
**\$75**

### Magnetic Round Tray

A great way to keep small parts together while working. Rubber Backed to prevent scratching.

150 MM Diameter



PN: MRT001  
**\$16**

## DRILL PRESS VICES

4" Drill Press Vice

PN: TV102-4  
**\$38**

6" Drill Press Vice

PN: TV102-6  
**\$68**

8" Drill Press Vice

PN: TV122-8  
**\$299**



## WELDERS ANGLE VICE

60 MM Jaw Opening

PN: TV274  
**\$129**

100 MM Jaw Opening

PN: TV275  
**\$179**



Designed to accurately hold two same or uneven sized bars at 90° to each other.

## Number & Letter Punches

Each set packed in a ABS-red strong plastic case. Made from S 55C High carbon steel, HRC 58-60 Degrees.

Kit includes: One Piece Type Holder, hexagon wrench, Steel types\* 100 piece (A-Z, 0-9, &, /, -, blank space). The holder can accommodate 9 pieces of our 3 mm steel types.



### 3 mm Punch Holder Set

PN: GYC610-3  
**\$399**

### 6 mm Punch Holder Set

PN: GYC610-6  
**\$499**

## Letter Punches

- 27 Piece set includes A to Z and Ampersand (&)
- Hardness: HRC 58-62°

10 mm Letter Stamps

PN: GYC601-10 **\$89**

12 mm Letter Stamps

PN: GYC601-12 **\$99**



## Letter & Number Punches

36 Piece Sets  
Hardness: HRC 58-62°

3 mm Punch Set

PN: GYC607-3 **\$46**

4 mm Punch Set

PN: GYC607-4 **\$55**

5 mm Punch Set

PN: GYC607-5 **\$65**

6 mm Punch Set

PN: GYC607-6 **\$89**

8 mm Punch Set

PN: GYC607-8 **\$139**



## Number Punches

9 Piece Sets  
Hardness: HRC 58-62°

3 mm Punch Set

PN: GYC602-3 **\$22**

4 mm Punch Set

PN: GYC602-4 **\$24**

5 mm Punch Set

PN: GYC602-5 **\$28**

6 mm Punch Set

PN: GYC602-6 **\$32**

8 mm Punch Set

PN: GYC602-8 **\$39**

10 mm Punch Set

PN: GYC602-10 **\$45**

12 mm Punch Set

PN: GYC602-12 **\$59**



## Gear & Bearing Splitting Combination Set

### Small Bearing Separator

Jaw Range: 30-50 MM  
Working Range: 0-135 MM

### Large Bearing Separator

Jaw Range: 50-75 MM  
Working Range: 0-180 MM

Includes Centre Adapter.

**S45C Drop Forged hardened Main Beam and Bearing Separators.**



PN: GBTk  
**\$169**

## Multi-Hydraulic Gear Puller Kit

### Bearing Separator

S45C Drop Forged hardened Bearing Separator.

Working Range: 0-370 MM  
Jaw Range: 75-105 MM

### Gear Puller

Working Range: 0-185 MM

Set includes:  
Twin & Triple Leg Heads  
Hydraulic Ram (12 Ton capacity)  
Carbon Steel Beam  
200 MM, 150 MM, & 100 MM arms  
85 MM, 35 MM, Spacers  
25 MM Centre Adapter



PN: GHPK  
**\$399**



## ACCURATE MEASUREMENT

### AB-SHIV

All ACCUD digital measuring devices utilize an Absolute Scale encoding system. This system ensures quick, accurate and reliable measurements in all working environments.

### USB DATA OUTPUT

Quickly and accurately acquire data points via Mini USB cable with foot switch (sold separately). Data can be transferred directly into Excel with no additional software required.

### Metric Dial Calipers



- Shockproof
- Measures: Inside, Outside & Depth

#### 150 MM Metric Dial Caliper

Range: 0-150 MM  
Resolution: 0.01 MM  
Accuracy:  $\pm 0.03$  MM  
Int. Jaw Reach: 16.5 MM  
Ext. Jaw Reach: 40 MM

PN: AC-101-006-11  
**\$99.00**

#### 200 MM Metric Dial Caliper

Range: 0-200 MM  
Resolution: 0.01 MM  
Accuracy:  $\pm 0.03$  MM  
Int. Jaw Reach: 19 MM  
Ext. Jaw Reach: 50 MM

PN: AC-101-008-11  
**\$129.00**

#### 300 MM Metric Dial Caliper

Range: 0-300 MM  
Resolution: 0.01 MM  
Accuracy:  $\pm 0.04$  MM  
Int. Jaw Reach: 25 MM  
Ext. Jaw Reach: 64 MM

PN: AC-101-012-11  
**\$199.00**

### Dual Scale Digital Calipers



- Functions: zero point, mm/inch  
Measures: Inside, Outside & Depth
- USB data output
  - Meet DIN862

#### 150 MM Dual Scale Digital Caliper

Range: 0-150 MM  
Resolution: 0.01 MM  
Accuracy:  $\pm 0.03$  MM  
Int. Jaw Reach: 16 MM  
Ext. Jaw Reach: 40 MM

PN: AC-111-006-12  
**\$79.00**

#### 200 MM Dual Scale Digital Caliper

Range: 0-200 MM  
Resolution: 0.01 MM  
Accuracy:  $\pm 0.03$  MM  
Int. Jaw Reach: 19 MM  
Ext. Jaw Reach: 50 MM

PN: AC-111-008-12  
**\$115.00**

#### 300 MM Dual Scale Digital Caliper

Range: 0-300 MM  
Resolution: 0.01 MM  
Accuracy:  $\pm 0.03$  MM  
Int. Jaw Reach: 20.5 MM  
Ext. Jaw Reach: 60 MM

PN: AC-111-012-12  
**\$169.00**

### Splash Proof IP54 Dual Scale Digital Calipers



- Functions: zero point, mm/in, ABS  
Measures: Inside, Outside & Depth
- Highly accurate glass scale
  - USB data output
  - Meet DIN862 Standard

#### 150 MM Dual Scale Splash Proof IP54 Digital Caliper

Range: 0-150 MM/0-6"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.03$  MM/0.001"  
Int. Jaw Reach: 16 MM  
Ext. Jaw Reach: 40 MM

PN: AC-111-006-11  
**\$98.00**

#### 200 MM Dual Scale Splash Proof IP54 Digital Caliper

Range: 0-200 MM/0-8"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.03$  MM/0.001"  
Int. Jaw Reach: 19 MM  
Ext. Jaw Reach: 50 MM


PN: AC-111-008-11  
**\$135.00**

#### 300 MM Dual Scale Splash Proof IP54 Digital Caliper

Range: 0-300 MM/0-12"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.03$  MM/0.001"  
Int. Jaw Reach: 20.5 MM  
Ext. Jaw Reach: 60 MM

PN: AC-111-012-11  
**\$199.00**

### 150 MM Digital Plastic Caliper



Range: 0-150 MM/0-6"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.1$  MM

- Functions: mm/in, zero point  
Measures: Inside, Outside
- Made of hard plastic

PN: AC-117-006-11  
**\$30.00**

### Coolant Proof IP67 Dual Scale Digital Calipers



- IP67 protection level
- Measures:  
Inside, Outside & Depth  
Functions: zero point, mm/inch

#### 150 MM Dual Scale Coolant Proof Digital Caliper

Range: 0-150 MM/0-6"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.03$  MM/0.001"  
Int. Jaw Reach: 16 MM  
Ext. Jaw Reach: 40 MM

PN: AC-112-006-12  
**\$199.00**

#### 200 MM Dual Scale Coolant Proof Digital Caliper

Range: 0-200 MM/0-8"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.03$  MM/0.001"  
Int. Jaw Reach: 19 MM  
Ext. Jaw Reach: 50 MM


PN: AC-112-008-12  
**\$239.00**

#### 300 MM Dual Scale Coolant Proof Digital Caliper

Range: 0-300 MM/0-12"  
Resolution: 0.01 MM/0.0005"  
Accuracy:  $\pm 0.03$  MM/0.001"  
Int. Jaw Reach: 20.5 MM  
Ext. Jaw Reach: 60 MM

PN: AC-112-012-12  
**\$329.00**

### IP54 Fractional Imperial Digital Caliper



Display Modes: Fraction Imperial,  
Decimal Imperial & Metric  
Auto On/Off  
Made of stainless steel  
IP54 Protection Rating

Range: 0-200 MM / 0-8"  
Resolution: 0.01 MM / 0.005" / 1/128"  
Accuracy:  $\pm 0.03$  MM  
Internal Jaw Reach: 16 MM  
External Jaw Reach: 50 MM  
Beam Width: 19 MM

PN: AC-113-008-11  
**\$149.00**

### Dual Scale Stainless Rulers

#### 6" Dual Scale Stainless Ruler

Range: 150 MM / 6"  
Graduation: 0.5 MM, 1 MM,  
1/64", 1/32", 1/16"

PN: AC-990-006-11  
**\$9.00**

#### 12" Dual Scale Stainless Ruler

Range: 300 MM / 12"  
Graduation: 0.5 MM, 1 MM,  
1/64", 1/32", 1/16"

PN: AC-990-012-11  
**\$15.00**



**NEW!**

### 125 MM Digital Disc Brake Caliper




Measure internal and external  
diameter of drum brakes  
Buttons: on/off, zero, mm/inch  
Automatic power on/off  
USB Data output  
Made of stainless steel

Range: 0-125 MM / 0-5"  
Resolution: 0.01mm / 0.0005"  
Accuracy:  $\pm 0.07$ mm  
Internal Jaw Reach: 46 MM  
External Jaw Reach: 61 MM

PN: AC-157-005-11  
**\$219.00**



## Dual Scale Vernier Calipers



Measures: Inside, Outside & Depth  
 • Meet DIN862 Standard  
 • Satin chrome plated scale  
 • Made of stainless steel

### 150 MM Dual Scale Vernier Caliper

Range: 0-150 MM / 0-6"  
 Graduation: 0.02 MM/0.001"  
 Accuracy:  $\pm 0.03/0.001$ "  
 Int. Jaw Reach: 15.5 MM  
 Ext. Jaw Reach: 40 MM

PN: AC-120-006-12  
**\$56.00**

### 200 MM Dual Scale Vernier Caliper

Range: 0-200 MM / 0-8"  
 Graduation: 0.02 MM/0.001"  
 Accuracy:  $\pm 0.03/0.001$ "  
 Int. Jaw Reach: 19 MM  
 Ext. Jaw Reach: 50 MM

PN: AC-120-008-12  
**\$84.00**

### 300 MM Dual Scale Vernier Caliper

Range: 0-300 MM / 0-12"  
 Graduation: 0.02 MM/0.001"  
 Accuracy:  $\pm 0.04/0.002$ "  
 Int. Jaw Reach: 22 MM  
 Ext. Jaw Reach: 64 MM

PN: AC-120-012-12  
**\$138.00**

## Dual Scale Long Series Vernier Calipers



Measures: Inside, Outside  
 • Meets DIN862 Standard

### 600 MM Dual Scale Vernier Caliper

Range:  
 Outside 0-620 MM/0-24.4"  
 Inside 20-600 MM/0.8-23.6"  
 Graduation: 0.02 MM/0.001"  
 Accuracy:  $\pm 0.05$  MM/0.002"  
 External Jaw Reach: 100 MM  
 Int. Jaw Reach: 18 MM

PN: AC-127-024-11  
**\$295.00**

### 1000 MM Dual Scale Vernier Caliper

Range:  
 Outside 0-1020 MM/0-40"  
 Inside 20-1000 MM/0.8-39.35"  
 Graduation: 0.02 MM/0.001"  
 Accuracy:  $\pm 0.08$  MM/0.003"  
 External Jaw Reach: 140 MM  
 Int. Jaw Reach: 24 MM

PN: AC-127-040-11  
**\$899.00**

### 2000 MM Dual Scale Vernier Caliper

Range:  
 Outside 0-2020 MM/0-79.5"  
 Inside 20-2000 MM/0.8-78.5"  
 Graduation: 0.02 MM/0.001"  
 Accuracy:  $\pm 0.14$  MM/0.006"  
 External Jaw Reach: 200 MM  
 Int. Jaw Reach: 24 MM

PN: AC-127-080-11  
**\$2200.00**

## Dual Scale Digital Temperature & Humidity Monitor

- Measuring Unit °C/°F
- Records Max. & min. temperature & humidity
- 12 or 24 hour display modes
- Clock & date display function
- Time & date, lunar calendar
- Daily alarm function
- Displays temperature alternately in 5 seconds.

Temperature Range: Indoor: -10 - +50°C  
 Humidity Range: indoor 20% - 99%  
 Power supply: 1.5V (AAA size) x1  
 Size 96W MM x 105H MM



PN: AC-HTC-1  
**\$25.00**

## Laser Distance & Level Meter

- Functions: Distance, Area, Volume, Indirect distance, Maximum & Minimum Memory
- Laser Sight
- Built-in Spirit Level
- IP54 Protection Level
- Back-light LCD Display
- Battery Power Indicator
- 1/4"-20 UNC Tripod Mount

**100 METRE RANGE!**

PN: AC-TM100  
**\$185.00**

Measuring range: 0.5-100 m  
 Accuracy: 1.5 MM  
 Resolution: 1 MM  
 Units: Metre/Inch/Foot  
 Light spot: Ø8 MM @ 40 m

Memory: 20 data points  
 Power supply: 2 x 1.5V AAA batteries  
 Laser: 635 nm < 1 mW  
 Weight: 110 g



## Metric & Imperial Dial Bore Gauges

• Meets DIN862 Standard

### 50-160 MM Metric Dial Bore Gauge

Range: 50-160 MM  
 Graduation: 0.01 MM  
 Accuracy:  $\pm 0.018$  MM  
 Length: 141 MM

PN: AC-251-160-11  
**\$189.00**

### 50-160 MM Dual Scale Digital Bore Gauge

Range: 50-160 MM  
 Resolution: 0.002 MM  
 Accuracy:  $\pm 0.018$  MM  
 Length: 141 MM

PN: AC-241-160-11  
**\$399.00**

### 2-6" Imperial Dial Bore Gauge

Range: 2-6"  
 Resolution: 0.001"  
 Accuracy:  $\pm 0.00071$ "  
 Length: 5-1/2"

PN: AC-252-060-11  
**\$189.00**

### 18-160 MM Metric Dial Bore Gauge Set

Set consists of 18-35 MM, 35-60 MM & 50-160 MM Bore Gauges & Dial Indicator  
 Dial indicator Range: 10 MM  
 Graduation: 0.01 MM

PN: AC-251-346-13  
**\$499.00**



## 600 MM Digital level

Buttons: On/Off/ABS, Hold/ Alarm, Units/Display Light  
 Units: Degrees, Percent Slope, mm/m & In/Ft Pitch.  
 Accuracy: Vertical & Horizontal  $\pm 0.1^\circ$  Other Directions  $\pm 0.2^\circ$   
 Resolution: 0.1°  
 Length: 600 MM



- Use as level or protractor
- Back-light Display
- Magnetic base
- Absolute horizon memory

PN: AC-725-360-01  
**\$149.00**

## Digital Level & Protractor

- Magnetic V-groove Base
- Light weight aluminum frame

Resolution: 0.05°  
 Accuracy :  $\pm 0.1^\circ$  (at 0°/90°/180°/270°)  
 $\pm 0.2^\circ$  (other direction)  
 Size: 150 MM x 60 MM x 33 MM



PN: AC-722-360-01  
**\$189.00**

## Infrared Thermometer

- Functions: Min/Max. & Average Differential indication, High & Low Temp. Alarm & 100 Sample Point Memory
- Adjustable Emission Compensation
- Sample capture alarm with mute
- Battery Power Indicator
- Back-light LCD Display
- 1/4"-20 UNC Tripod Mount
- Laser Sight

Measuring range: -50-700 °C  
 Accuracy: 1.5% or 1.5 °  
 Distance spot ratio: 12:1  
 Response time: 500 ms

Memory: 100 data points  
 Resolution: 0.1 °C  
 Power supply: 9V battery  
 Weight: 196 g



PN: AC-IT700  
**\$145.00**



### Metric Outside Micrometers



**IMPERIAL SIZES  
AVAILABLE**

#### 25 MM Metric Outside Micrometer

Range: 0-25 MM  
Graduation: 0.01 MM  
Accuracy: 4 µm  
Jaw Reach: 29 MM

- Carbide measuring faces
- Setting standard included
- Ratchet stop

PN: AC-321-001-01  
**\$45.00**

#### 25-50 MM Metric Outside Micrometer

Range: 25-50 MM  
Graduation: 0.01 MM  
Accuracy: 4 µm  
Jaw Reach: 39 MM

PN: AC-321-002-01  
**\$50.00**

#### 50-75 MM Metric Outside Micrometer

Range: 50-75 MM  
Graduation: 0.01 MM  
Accuracy: 5 µm  
Jaw Reach: 53 MM

PN: AC-321-003-01  
**\$59.00**

### Metric Micrometer Sets



#### 75 MM Metric Micrometer 3 Piece Set

Set consists of 3 Micrometers  
Range: 0-75 MM  
Graduation: 0.01 MM  
Accuracy: 5 µm

PN: AC-321-003-03  
**\$149.00**

#### 150 MM Metric Micrometer 6 Piece Set

Set consists of 6 Micrometers  
Range: 0-150 MM  
Graduation: 0.01 MM  
Accuracy: 5 µm

PN: AC-321-006-06  
**\$379.00**

#### 300 MM Metric Vernier Micrometer Set

Range: 150-300 MM  
Resolution: 0.01 MM  
Accuracy: ±7 to 9 µm  
Set consists of 6 Piece Micrometers

PN: AC-321-012-06  
**\$695.00**

### Imperial Micrometer Sets



#### 6" Imperial Micrometer 6 Piece Set

Set consists of 6 Micrometers  
Range: 0-6"  
Graduation: 0.0005"  
Accuracy: ±4 to 6 µm

PN: AC-324-006-06  
**\$379.00**

### 50-600 MM Metric Tubular Inside Micrometer

- Carbide measuring faces
- Includes setting standards

Set consists of 13, 25, 50, 100, 150 & 200 mm Extension Rods.  
Micrometer Head Travel: 13 mm  
Range: 50-600 mm  
Graduation: 0.01 mm  
Accuracy: (3+n+L/50) µm,  
n=number of rods, L=max.  
measuring length



PN: AC-352-024-01  
**\$345.00**

### Coolant Proof Dual Scale Digital Micrometers



- Functions: mm/inch, origin, zero point, ABS, hold
- IP65 protection level
  - Carbide measuring faces
  - Ratchet stop.

#### 25 MM Coolant Proof Dual Scale Digital Micrometer

Range: 0-25 MM/0-1"  
Graduation: 0.001 MM/0.00005"  
Accuracy: 2 µm  
Jaw Reach: 24 MM

PN: AC-313-001-01  
**\$189.00**

#### 25-50 MM Coolant Proof Dual Scale Digital Micrometer

Range: 25-50 MM/1-2"  
Graduation: 0.001 MM/0.00005"  
Accuracy: 2 µm  
Jaw Reach: 32 MM

PN: AC-313-002-02  
**\$229.00**

### Wide Base Machinist Squares (Grade 2)

#### 100 MM Wide Base Machinist Square

Squareness: (α) 28 µm (β) 30 µm  
Base size: 19H x 12W x 70L MM  
Blade Thickness: 3 MM

PN: AC-845-004-02  
**\$29.00**

#### 150 MM Wide Base Machinist Square

Squareness: (α) 33 (β) 35 µm  
Base size: 25H x 16W x 100L MM  
Blade Thickness: 3 MM

PN: AC-845-006-02  
**\$39.00**

#### 200 MM Wide Base Machinist Square

Squareness: (α) 37 µm (β) 40 µm  
Base size: 32H x 16W x 130L MM  
Blade Thickness: 4 MM

PN: AC-845-008-02  
**\$45.00**

#### 300 MM Wide Base Machinist Square

Squareness: (α) 47 µm (β) 50 µm  
Base size: 32H x 19W x 200L MM  
Blade Thickness: 4 MM

PN: AC-845-012-02  
**\$79.00**


#### 600 MM Wide Base Machinist Square

Squareness: (α) 75 µm (β) 80 µm  
Base size: 50H x 30W x 350L MM  
Blade Thickness: 6 MM

PN: AC-845-024-02  
**\$285.00**



### Feeler Gauges



#### 150 MM Feeler Gauge 20 Leave Set

Leave thickness include: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 & 1.00 MM  
Range: 0.05-1.00 MM  
Length: 150 MM

PN: AC-913-100-20  
**\$29.00**

#### 200 MM Feeler Gauge 20 Leave Set

Leave thickness include: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 & 1.00 MM  
Range: 0.05-1.00 MM  
Length: 200 MM

PN: AC-914-100-20  
**\$35.00**

#### 300 MM Feeler Gauge 20 Leave Set

Leave thickness include: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 & 1.00 MM  
Range: 0.05-1.00 MM  
Length: 300 MM

PN: AC-915-100-20  
**\$39.00**

### 50-600 MM Metric Tubular Inside Micrometer

- Carbide measuring faces
- Includes setting standards

Set consists of 13, 25, 50, 100, 150 & 200 mm Extension Rods.  
Micrometer Head Travel: 13 mm  
Range: 50-600 mm  
Graduation: 0.01 mm  
Accuracy: (3+n+L/50) µm,  
n=number of rods, L=max.  
measuring length



PN: AC-352-024-01  
**\$345.00**

### Telescopic Gauge Set

Individual Telescopic Gauge ranges:  
8-12.7 MM, 12.7-19 MM, 19-32 MM,  
32-54 MM, 54-90 MM & 90-150 MM  
Set Range: 8-150 MM  
Length: 115 MM to 137 MM



PN: AC-951-006-01  
**\$59.00**

### 15 MM Taper Gauge

Range: 0.8-15 MM  
Graduations: 0.1 MM



PN: AC-962-015-05  
**\$28.00**

### Double Ended Scriber

- Nickel plated with Hardened tips
  - Knurled handle
- Length: 250 MM



PN: AC-995-009-01  
**\$12.00**



## Digital & Dial Indicators



Functions: zero point, Invert measuring, inch/mm direction, data preset, ABS  
 • USB data output  
 • Supplied with flat and lug back



### 12 mm Dual Scale Digital Indicator

Range: 12.7 mm/0.5"  
 Resolution: 0.01 mm/0.0005"  
 Accuracy: 20 µm

PN: AC-212-010-11  
**\$129.00**

### 25 mm Dual Scale Digital Indicator

Range: 25.4 mm/1"  
 Resolution: 0.01 mm/0.0005"  
 Accuracy: 20 µm

PN: AC-212-025-11  
**\$129.00**



### 10 mm Jeweled Metric Dial Indicator

Range: 10 mm  
 Graduations: 0.01 mm  
 Accuracy: 20 µm

PN: AC-222-010-11  
**\$59.00**

- Limit hands
- Jeweled bearing
- 1 mm range per dial revolution
- Lug back

### 1" Imperial Dial Indicator

Graduation: 0.001"  
 Accuracy: 20 µm  
 Range: 1"

PN: AC-225-025-11  
**\$59.00**



### 30 mm Metric Dial Indicator

Range: 30 mm  
 Graduations: 0.01 mm  
 Accuracy: ±35 µm

PN: AC-229-030-11  
**\$99.00**

## Metric Dial Test Indicator




PN: AC-261-008-11  
**\$99.00**

- 0.01 mm Graduations
- Jeweled bearing
- Carbide stylus
- Double scale spacing
- Anti-magnetic copper body
- 4 mm & 8 mm Dia clamps.

Range: 0.8 mm  
 Graduation: 0.01 mm  
 Accuracy: ±13 µm

### Dial Test Indicator Centering Holder

Dial Test Indicator Centering Holder.  
 For centering of cylinders or holes.



PN: AC-269-060-01  
**\$29.00**

## Combination Square Set

90° or 45° square  
 90° square accuracy: ±8',  
 45° square accuracy: ±10'

Circle Centre Finder  
 Accuracy: ±0.15 mm  
 Ruler range: 300 mm/12"

Protractor  
 Range: 0-180°  
 Accuracy: ±7'



PN: AC-817-180-02  
**\$169.00**

## Protractors

### 200 mm Digital Combination Ruler

Ruler Length: 200 mm  
 Range: 360°  
 Resolution: 0.1°

PN: AC-821-008-01  
**\$79.00**



### 300 mm Digital Combination Ruler

Ruler Length: 300 mm  
 Range: 360°  
 Resolution: 0.1°

PN: AC-821-012-01  
**\$89.00**



**NEW!**

### 180° Protractor

Ruler Length: 220 mm  
 Protractor Range: 180°



PN: AC-812-005-01  
**\$44.00**

## Dial Indicator & Magnetic Stand Kits

### 10 mm Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
 Magnetic Force: 60 kgf  
 Range: 10 mm  
 Graduation: 0.01 mm  
 Accuracy: ±20 µm

PN: AC-280-000-02  
**\$129.00**

### 1" Inch Dial Indicator & Magnetic Stand with Fine Adjustment

Stem hole: Ø4 mm, Ø8 mm, 3/8"  
 Magnetic Force: 60 kgf  
 Range: 1"  
 Graduation: 0.001"  
 Accuracy: ±20 µm

PN: AC-280-001-02  
**\$129.00**



• Aluminium Case Included

## Magnetic Stands

### Magnetic Stand with Fine adjustment

Stem holes: 8 mm  
 Magnetic Force: 60 kgf

PN: AC-281-060-01  
**\$59.00**



### Magnetic Stand

Stem holes: 8 mm  
 Magnetic Force: 60 kgf

PN: AC-281-060-02  
**\$49.00**



## 1/4" Centering Indicator

For quick and accurate centering in boring or milling machines.  
 Supplied with 7 types of feeler attachments.  
 Jeweled bearing.

PN: AC-297-003-11  
**\$225.00**



## Dividers & Calipers

### 200 mm Inside Spring Caliper

Range: 18-190 mm  
 Length: 200 mm

PN: AC-982-008-01  
**\$29.00**

### 200 mm Spring Divider

Range: 0-190 mm  
 Length: 200 mm

PN: AC-985-008-01  
**\$29.00**

### 200 mm Outside Spring Caliper

Range: 0-190 mm  
 Length: 200 mm

PN: AC-984-008-01  
**\$29.00**

### 300 mm Inside Spring Caliper

Range: 18-290 mm  
 Length: 300 mm

PN: AC-982-012-01  
**\$35.00**

### 300 mm Spring Divider

Range: 0-290 mm  
 Length: 300 mm

PN: AC-985-012-01  
**\$35.00**

### 300 mm Outside Spring Caliper

Range: 0-290 mm  
 Length: 300 mm

PN: AC-984-012-01  
**\$35.00**

### 500 mm Inside Spring Caliper

Range: 25-490 mm  
 Length: 500 mm

PN: AC-982-020-01  
**\$55.00**

### 500 mm Spring Divider

Range: 0-490 mm  
 Length: 500 mm

PN: AC-985-020-01  
**\$55.00**

### 500 mm Outside Spring Caliper

Range: 0-490 mm  
 Length: 500 mm

PN: AC-984-020-01  
**\$55.00**





Distributed by:

Valid 1<sup>st</sup> of October, 2017 to 31<sup>st</sup> of January, 2018. All prices quoted include GST.

## FUJI TOOL

### 60° Unified Thread Gauge

- 30 Unified 60° leaves, all SPCC steel

Increments: 4, 4-1/2, 5, 5-1/2, 6, 7, 8, 9, 10, 11, 11-1/2, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 40 & 42 TPI



PN: FT006  
**\$33**

### 60° Metric Thread Gauge

- 28 Metric 60° leaves, all SPCC steel

Increments: 0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.55, 0.6, 0.65, 0.7, 0.75, 0.8, 0.85, 0.9, 1, 1.1, 1.2, 1.25, 1.3, 1.4, 1.5, 1.6, 1.7, 1.75, 1.8, 1.9, 2, 2.5 MM



PN: FT156  
**\$33**

### Metric / Whitworth 55° Thread Gauge

- 52 Metric & Whitworth 55° Leaves, all SPCC steel




PN: FT163  
**\$49**

### Metric Welding Gauges

Capable of Measuring:

- Angles from 0-90°.
- Acute angles of up to 50°.
- Seam or corner welds size & profile.
- Gaps ranging from 1.5 to 10 mm.
- Height & depth of up to 20 mm.



General Angle: 0-50°

Distance Between Roots: 1.5-10.0 mm

Height & depth range: 20 mm

Angle of Bevel Groove: 0-85°

Accuracy: ±0.2 mm

PN: FTDWG94  
**\$85**

### Metric Pocket Depth Gauge

- Compact in size ideal for measuring depth slots, projections
- All Stainless Construction, Including the lock screw.



PN: FTPDG50  
**\$69**

Range: 50 mm

Gradients: 1/20 mm

Accuracy: ±0.05 mm

Material: Stainless Steel

## Ratchet Wrenches



### Ratchet Wrench

Max Torque: 75 Ft/lbs

Length: 268 mm

Weight: 1.2 Kg

3/8" Drive PN: GP5203

1/2" Drive PN: GP5204

**\$145 EA**



See full range on page 4.

## Heavy Duty Parts Trolley

Size: 470W x 785D x 825H mm

- 1.6 mm steel uprights
- Form inlays for each tray
- Two lockable casters

**Max Load 150 Kg!**



PN: GT3SD  
**\$279**

## Heavy Duty Long Nose 2-way Hand Riveter

Riveting sizes:

2.4, 3.2, 4.0, 4.8 mm

- Die-cast aluminium body
- High carbon steel Handle
- Nonslip comfortable grip.



PN: SN10000  
**\$99**

See full range on page 7.

## 1/2" Super Duty Impact Wrench



- Three position power setting, forward & reverse

Free Speed: 9,500 RPM

Max Torque: 1,000 Ft/lbs

Length 190 mm

Weight 2.30 Kg



PN: KP1488  
**\$299**

**HUGE 1000 Ft/lbs!**

See full range on page 2.

## LED WORK LAMPS



### 90 LED Magnifier Work Lamp

- 120 mm Glass Lens with 3 x Magnification
- Super Bright Array with 90 LEDs.
- 240V mains power with 2 Metre Cord.
- Bench mounted (up to 55 mm thick).
- All metal frame construction

PN: ML90  
**\$169**

### LED Rechargeable Inspection Lamp

Ideal lamp for automotive panel & paint inspection or any automotive or industrial work environment.

- Precision Adjustable Dimmer Switch
- Multistage Battery indicator light
- Super Strong Magnetic Ball Jointed Adjustable Base
- Retractable Lamp Hanger
- USB Rechargeable Li-ion battery
- IP54 Water Proof

PN: GLEDIL  
**\$119**

375 mm

**SUPER BRIGHT 410 Lumen LED Lamp!**

## Double Spiral Step Drill Set

Set includes 4-12 mm, 4-20 mm & 4-32 mm HSS Ti-nite Coated drill bits.



PN: G3SD  
**\$149**

